

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>25 HR</b>	<b>Inspection</b>			Hours	3,964.40	
LOCATION ORIGIN Airframe		INSTALLED C/W SINCE NEW SINCE OHL OVERHAULED	3,939.4  No	ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS	25  A/F	
<b>50 HR</b>	<b>Inspection</b>			Hours	3,989.40	
LOCATION ORIGIN Airframe		INSTALLED C/W SINCE NEW SINCE OHL OVERHAULED	3,939.4  No	ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS	50  A/F & ENG	
<b>LIFE JACKETS HOOVER</b>	<b>Inspection</b>	FV-35F		Date		08/31/2008
LOCATION ORIGIN Airframe		INSTALLED C/W SINCE NEW SINCE OHL OVERHAULED	08/31/2006  No	ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS	7 EA INSP EVERY 2 YEARS	
<b>FLOAT INSPECTION</b>	<b>Inspection</b>			Date		05/31/2008
LOCATION ORIGIN Airframe		INSTALLED C/W SINCE NEW SINCE OHL OVERHAULED	05/02/2007  No	ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS	12 MONTH	
<b>ELT BATTERY</b>	<b>Inspection</b>	452-0130-02		Date		02/28/2009
LOCATION ORIGIN Airframe		INSTALLED C/W SINCE NEW SINCE OHL OVERHAULED	01/31/2007  No	ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS	CHANGE	
<b>PITOT STATIC SYSTEM LEAK CHECK</b>	<b>Inspection</b>			Date		08/31/2008
LOCATION ORIGIN Airframe		INSTALLED C/W SINCE NEW SINCE OHL OVERHAULED	08/31/2006  No	ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS	INSPECTION 2 YEAR	
<b>TRANSPONDER #1</b>	<b>Inspection</b>			Date		08/31/2008
LOCATION ORIGIN Airframe		INSTALLED C/W SINCE NEW SINCE OHL OVERHAULED	08/31/2006  No	ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS	CERTIFY	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>TRANSPONDER #2</b>	<b>Inspection</b>			Date		08/31/2008
LOCATION		INSTALLED C/W	08/31/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	CERTIFY	
<b>ALTIMETER, PILOT</b>	<b>Inspection</b>			Date		08/31/2008
LOCATION		INSTALLED C/W	08/31/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	CALIBRATE	
<b>FIRE EXT 30 DAY</b>	<b>Inspection</b>			Date		04/01/2008
LOCATION		INSTALLED C/W	03/03/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>MAIN ROTOR SHAFT 3 MO / 300 HR INSP</b>	<b>Inspection</b>			Hours	4,245.80	06/03/2008
LOCATION		INSTALLED C/W	3,945.8	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOG BOOK LS # 539552	
<b>100 HR</b>	<b>Inspection</b>			Hours	4,049.90	
LOCATION		INSTALLED C/W	3,949.9	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	100	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	A/F	
<b>TAIL ROTOR BALANCE / 100 HOUR</b>	<b>Inspection</b>			Hours	3,995.90	
LOCATION		INSTALLED C/W	3,895.9	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	100	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOG BOOK LS # 539553	
<b>ENG 150 HR</b>	<b>Inspection</b>			Hours	4,016.30	
LOCATION #1 & #2		INSTALLED C/W	3,866.3	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	150	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>ENG 300 HR</b>	<b>Inspection</b>			Hours	4,166.30	
LOCATION #1 & #2 ORIGIN Airframe		INSTALLED C/W 3,866.3 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL 300 REMAINING REMARKS		
<b>36 MONTH FIRE EXT MANIFOLDS</b>	<b>Inspection</b>			Date		12/31/2010
LOCATION ORIGIN Airframe		INSTALLED C/W 12/31/2007 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS LOG BOOK LS # 539553		
<b>3000 HOUR 3 YEAR M/R BLADE INSP</b>	<b>Inspection</b>			Hours	14,700.00	
LOCATION ORIGIN Airframe		INSTALLED C/W 11,700 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL 3,000 REMAINING REMARKS ALL 4 BLADES STARTS @ BLADE TT 11,700		
<b>900 HOUR A/F</b>	<b>Inspection</b>			Hours	4,786.50	
LOCATION ORIGIN Airframe		INSTALLED C/W 3,886.5 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL 900 REMAINING REMARKS		
<b>ZONE 1</b>	<b>Inspection</b>			Hours	5,347.80	
LOCATION ORIGIN Airframe		INSTALLED C/W 3,847.8 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL 1,500 REMAINING REMARKS		
<b>ZONE 2</b>	<b>Inspection</b>			Hours	4,148.20	
LOCATION ORIGIN Airframe		INSTALLED C/W 3,548.2 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL 600 REMAINING REMARKS		
<b>ZONE 3</b>	<b>Inspection</b>			Hours	4,448.20	
LOCATION ORIGIN Airframe		INSTALLED C/W 3,548.2 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL 900 REMAINING REMARKS		

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>ZONE 4</b>	<b>Inspection</b>			Hours	4,748.20	
LOCATION		INSTALLED C/W	3,548.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	1,200	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>ZONE 5</b>	<b>Inspection</b>			Hours	5,048.20	
LOCATION		INSTALLED C/W	3,548.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	1,500	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>ASB 76-67-49 TR PEDAL SUPPORT ARM INSP</b>	<b>Inspection</b>			Hours	5,000.00	07/31/2008
LOCATION		INSTALLED C/W	0	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	5,000	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		INSP FOR CRACKS AT ACFT TT 5000.0
<b>300 HR A/F</b>	<b>Inspection</b>			Hours	4,147.80	
LOCATION		INSTALLED C/W	3,847.8	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>500 HR A/F</b>	<b>Inspection</b>			Hours	3,983.10	
LOCATION		INSTALLED C/W	3,483.1	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	500	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>T/R CABLES</b>	<b>Component</b>			Hours	5,109.70	07/31/2009
LOCATION		INSTALLED C/W	3609.70	ACCUM USAGE	340.20	
ORIGIN Airframe		SINCE NEW	340.20	LIFE / INTERVAL	1,500	
		SINCE OHL		REMAINING	1,159.80	
		OVERHAULED	No	REMARKS		
<b>ENG FIRE EXT, CORROSION</b>	<b>Inspection</b>			Date		12/31/2010
LOCATION		INSTALLED C/W	12/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		LOGBOOK LS # 539553

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>FUEL NOZZLES INSITU</b>	<b>Inspection</b>			Hours	4,179.00	
LOCATION		INSTALLED C/W	3,879.0	ACCUM USAGE		
ORIGIN ENG 2		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	300 HR CLEANING	
<b>ASB 76-65-64</b>	<b>Inspection</b>	76102-08051-105		Hours	4,772.50	11/30/2008
LOCATION MRH		INSTALLED C/W	3,522.5	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	1,250	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	INSP @ NEXT 1250 OR BY 11/30/2008	
<b>TAIL BOOM ATTACH BOLTS STA 300</b>	<b>Component</b>			Hours	6,288.20	02/28/2010
LOCATION		INSTALLED C/W	3,288.2	ACCUM USAGE	661.70	
ORIGIN Airframe		SINCE NEW	661.70	LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING	2,338.30	
		OVERHAULED	No	REMARKS	REPLACE 3000 HR / 5 YEAR	
<b>ALTIMETER, CO-PILOT</b>	<b>Inspection</b>			Date		08/31/2008
LOCATION		INSTALLED C/W	08/31/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	CALIBRATE	
<b>12 MONTH A/F</b>	<b>Inspection</b>			Date		03/31/2008
LOCATION		INSTALLED C/W	03/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>M/R SPINDLES 1250 HR INSP</b>	<b>Inspection</b>			Hours	4,772.50	
LOCATION		INSTALLED C/W	3,522.5	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	1,250	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	ALL 4 DUE	
<b>T/R PEDAL 2 YEAR INSP</b>	<b>Inspection</b>			Date		03/31/2009
LOCATION		INSTALLED C/W	03/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	TR 5-141	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368                      CYCLES: 5,949  
TT: 3,949.90                      RIN: 7,033

**D E T A I L   R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>FUEL NOZZLES INSITU</b>	<b>Inspection</b>			Hours	4,179.00	
LOCATION		INSTALLED C/W	3,879.0	ACCUM USAGE		
ORIGIN ENG 1		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	300 HR CLEANING	
<b>PISTON ROD END R/H</b>	<b>Component</b>	01-747-061	0058BI	RIN	40,650.00	
LOCATION		INSTALLED C/W	658	ACCUM USAGE	2383.00	
ORIGIN Airframe		SINCE NEW	2383.00	LIFE / INTERVAL	36,000	
		SINCE OHL		REMAINING	33,617.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>AFCS PITCH ACTUATOR #1</b>	<b>Component</b>	76900-01802-106	0104011	Hours	6,425.00	
LOCATION		INSTALLED C/W	3,425	ACCUM USAGE	524.90	
ORIGIN Airframe		SINCE NEW	3026.20	LIFE / INTERVAL	3,000	
		SINCE OHL	524.90	REMAINING	2,475.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>JUNCTION BOX</b>	<b>Component</b>	3201104	0182	Hours	13,294.00	
LOCATION		INSTALLED C/W	3,294.0	ACCUM USAGE	681.20	
ORIGIN ENG 2		SINCE NEW	681.20	LIFE / INTERVAL	10,000	
		SINCE OHL	681.20	REMAINING	9,318.80	
		OVERHAULED	Yes	REMARKS	O/C	
<b>JUNCTION BOX</b>	<b>Component</b>	3201104	0240	Hours	13,293.00	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.20	
ORIGIN ENG 1		SINCE NEW	682.20	LIFE / INTERVAL	10,000	
		SINCE OHL	682.20	REMAINING	9,317.80	
		OVERHAULED	Yes	REMARKS	O/C	
<b>SIGNAL KIT</b>	<b>Inspection</b>		069	Date		12/31/2008
LOCATION		INSTALLED C/W	12/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOG BOOK LS # 539553	
<b>MAIN BATTERY L/H</b>	<b>Component</b>	30248-001	10300786	Date		05/31/2008
LOCATION		INSTALLED C/W	02/01/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	3 MONTH SERVICE	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>AUX BATTERY, R/H</b>	<b>Component</b>	30248-001	10403095	Date		05/31/2008
LOCATION		INSTALLED C/W	02/06/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	3 MONTH SERVICE	
<b>BLEED AIR SHUT-OFF VALVE #1</b>	<b>Component</b>	76500-07903-102	1241	Date		12/31/2020
LOCATION #1		INSTALLED C/W	12/10/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>BLEED AIR SHUT-OFF VALVE #2</b>	<b>Component</b>	76500-07903-102	1252	Date		12/31/2020
LOCATION		INSTALLED C/W	12/10/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>ST/GEN #1</b>	<b>Component</b>	23092-002	143	Hours	4,754.30	
LOCATION #1 ENG		INSTALLED C/W	3,754.3	ACCUM USAGE	195.60	
ORIGIN Airframe		SINCE NEW	195.60	LIFE / INTERVAL	1,000	
		SINCE OHL	195.60	REMAINING	804.40	
		OVERHAULED	Yes	REMARKS	O/H	
<b>ST/GEN #1</b>	<b>Inspection</b>	23092-002	143	Hours	4,054.30	
LOCATION #1 ENG		INSTALLED C/W	3,754.3	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	BRUSH INSP 300 HR	
<b>FLOW DIVIDER</b>	<b>Component</b>	25536-SB3	15517	Hours	13,294.00	
LOCATION		INSTALLED C/W	3,294.0	ACCUM USAGE	681.20	
ORIGIN ENG 2		SINCE NEW	681.20	LIFE / INTERVAL	10,000	
		SINCE OHL	681.20	REMAINING	9,318.80	
		OVERHAULED	Yes	REMARKS	O/C	
<b>FLOW DIVIDER</b>	<b>Component</b>	25536-SB3	15525	Hours	13,292.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	10,000	
		SINCE OHL	682.90	REMAINING	9,317.10	
		OVERHAULED	Yes	REMARKS	O/C	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>EMER LT PWR SUPPLY</b>	<b>Component</b>	60-1321-1	1644	Date		03/31/2008
LOCATION		INSTALLED C/W	03/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	12 MO CAP CK	
<b>SENSOR, TORQUE PROBE</b>	<b>Component</b>	3034678	199	Hours	13,292.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	10,000	
		SINCE OHL	682.90	REMAINING	9,317.10	
		OVERHAULED	Yes	REMARKS	O/C	
<b>REDUCTION GEAR BOX</b>	<b>Component</b>	330500-01	1A097	Hours	6,792.30	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	3975.20	LIFE / INTERVAL	3,500	
		SINCE OHL	682.90	REMAINING	2,817.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>ACCESSORY GEAR BOX</b>	<b>Component</b>	33061602-03	1A635	Hours	6,794.30	
LOCATION		INSTALLED C/W	2,993.0	ACCUM USAGE	680.90	
ORIGIN ENG 2		SINCE NEW	680.90	LIFE / INTERVAL	3,500	
		SINCE OHL	680.90	REMAINING	2,819.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>ACCESSORY GEAR BOX</b>	<b>Component</b>	33061602-03	1A640	Hours	6,792.30	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	3975.20	LIFE / INTERVAL	3,500	
		SINCE OHL	682.90	REMAINING	2,817.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>TURBINE</b>	<b>Component</b>	3036551	1C493	Hours	6,792.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	3,500	
		SINCE OHL	682.90	REMAINING	2,817.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>TURBINE</b>	<b>Component</b>	3036551	1E288	Hours	6,794.30	
LOCATION		INSTALLED C/W	2,993.0	ACCUM USAGE	680.90	
ORIGIN ENG 2		SINCE NEW	680.90	LIFE / INTERVAL	3,500	
		SINCE OHL	680.90	REMAINING	2,819.10	
		OVERHAULED	Yes	REMARKS	O/H	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368                      CYCLES: 5,949  
TT: 3,949.90                      RIN: 7,033

**D E T A I L   R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>FIRST AID KIT</b>	<b>Component</b>	SL1013-107	238104	Date		06/30/2008
LOCATION		INSTALLED C/W	06/29/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	12 MO    W.O.# MH12474	
<b>SQUIB MAIN, FIRE BOTTLE #1</b>	<b>Component</b>	897776-01J	24673	Date		03/31/2017
LOCATION		INSTALLED C/W	08/27/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR MFG 3-07	
<b>SQUIB RESERVE, FIRE BOTTLE #2</b>	<b>Component</b>	897776-01J	24746	Date		03/31/2017
LOCATION		INSTALLED C/W	08/27/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR MFG 3-07	
<b>SQUIB MAIN, FIRE BOTTLE #2</b>	<b>Component</b>	897776-01J	24763	Date		03/31/2017
LOCATION		INSTALLED C/W	08/27/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR MFG 3-07	
<b>SQUIB RESERVE, FIRE BOTTLE #1</b>	<b>Component</b>	897776-01J	24766	Date		03/31/2017
LOCATION		INSTALLED C/W	08/27/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR MFG 3-07	
<b>TORQUE SENSOR</b>	<b>Component</b>	3034805	287	Hours	13,294.00	
LOCATION		INSTALLED C/W	3,294.0	ACCUM USAGE	681.20	
ORIGIN ENG 2		SINCE NEW	681.20	LIFE / INTERVAL	10,000	
		SINCE OHL	681.20	REMAINING	9,318.80	
		OVERHAULED	Yes	REMARKS	O/C	
<b>TORQUE SENSOR</b>	<b>Component</b>	3034805	300	Hours	13,294.00	
LOCATION		INSTALLED C/W	3,294.0	ACCUM USAGE	681.20	
ORIGIN ENG 2		SINCE NEW	681.20	LIFE / INTERVAL	10,000	
		SINCE OHL	681.20	REMAINING	9,318.80	
		OVERHAULED	Yes	REMARKS	O/C	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>TORQUE SENSOR</b>	<b>Component</b>	3034805	308	Hours	13,292.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	10,000	
		SINCE OHL	682.90	REMAINING	9,317.10	
		OVERHAULED	Yes	REMARKS	O/C	
<b>TORQUE SENSOR</b>	<b>Component</b>	3034805	310	Hours	13,292.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	10,000	
		SINCE OHL	682.90	REMAINING	9,317.10	
		OVERHAULED	Yes	REMARKS	O/C	
<b>ST/GEN #2</b>	<b>Inspection</b>	76650-00911-101	323	Hours		
LOCATION #2 ENG		INSTALLED C/W	3,808.4	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300.0	
		SINCE OHL		REMAINING		
		OVERHAULED	Yes	REMARKS	BRUSH INSP VERIFY POSITION ON AIRCRAFT	
<b>ST/GEN #2</b>	<b>Component</b>	76650-00911-101	323	Hours	4,808.40	
LOCATION #2 ENG		INSTALLED C/W	3,808.4	ACCUM USAGE	141.50	
ORIGIN Airframe		SINCE NEW	141.50	LIFE / INTERVAL	1,000	
		SINCE OHL	141.50	REMAINING	858.50	
		OVERHAULED	Yes	REMARKS	O/H	
<b>FLOAT BOTTLE, L/H MAIN</b>	<b>Component</b>	76251-01103-102	3439	Date		05/31/2008
LOCATION		INSTALLED C/W	05/31/1998	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	
<b>FLOAT BOTTLE, R/H NOSE</b>	<b>Component</b>	76251-01103-102	3459	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/1999	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	
<b>FLOAT BOTTLE, R/H MAIN</b>	<b>Component</b>	76251-01103-102	3489	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/1999	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>FLOAT BOTTLE, L/H NOSE</b>	<b>Component</b>	76251-01103-102	3491	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/1999	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	
<b>SQUIB, L/H MAIN</b>	<b>Component</b>	2978-0013-3	3543	Date		03/31/2011
LOCATION		INSTALLED C/W	07/07/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 5 YEAR	
<b>ENG 900 HR / 12 MONTH</b>	<b>Inspection</b>		36089 & 36086	Hours	4,673.30	03/31/2008
LOCATION #1 & #2		INSTALLED C/W	3,773.3	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	900	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	SEALING FLANGES & JOINTS	
<b>ENG 300 HR / 12 MONTH</b>	<b>Inspection</b>		36089 & 36086	Hours	4,073.30	03/31/2008
LOCATION #1 & #2		INSTALLED C/W	3,773.3	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	COMP INLET INSP	
<b>ENG 600 HR / 12 MONTH</b>	<b>Inspection</b>		36089 & 36086	Hours	4,373.30	03/31/2008
LOCATION #1 & #2		INSTALLED C/W	3,773.3	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	600	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	CLEAN ELECTRICAL CONNECTORS	
<b>SQUIB, R/H MAIN</b>	<b>Component</b>	2978-0013-3	3806	Date		03/31/2011
LOCATION		INSTALLED C/W	07/07/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 5 YEAR	
<b>SQUIB, L/H NOSE</b>	<b>Component</b>	2978-0013-3	3816	Date		03/31/2011
LOCATION		INSTALLED C/W	07/07/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 5 YEAR	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>SQUIB R/H NOSE</b>	<b>Component</b>	2978-0013-3	3842	Date		03/31/2011
LOCATION ORIGIN Airframe		INSTALLED C/W 07/07/2006 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS RETIRE, 5 YEAR		
<b>ARTEX ELT</b>	<b>Inspection</b>	ELT-100HM	40779	Date		01/31/2009
LOCATION Fwd. r/h tailboom ORIGIN Airframe		INSTALLED C/W 01/29/2008 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS Insp. Per FAR 91.207 d.		
<b>JET PWR SUPPLY</b>	<b>Component</b>	501-1228-04	4518	Date		03/31/2008
LOCATION ORIGIN Airframe		INSTALLED C/W 03/31/2007 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS 12 MO CAP CK		
<b>1ST STAGE HUB</b>	<b>Component</b>	3018111	4T981	Hours	15,000.00	
LOCATION ORIGIN ENG 2		INSTALLED C/W 0 SINCE NEW 3975.20 SINCE OHL OVERHAULED No		ACCUM USAGE 3975.20 LIFE / INTERVAL 15,000 REMAINING 11,024.80 REMARKS RETIRE, HOURS		
<b>1ST STAGE HUB</b>	<b>Component</b>	3018111	4T981	Cycles	96,570.00	
LOCATION ORIGIN ENG 2		INSTALLED C/W 0 SINCE NEW 19379.00 SINCE OHL OVERHAULED No		ACCUM USAGE 19379.00 LIFE / INTERVAL 110,000 REMAINING 90,621.00 REMARKS RETIRE, CYCLES		
<b>LIFE RAFT</b>	<b>Inspection</b>	R0070-107	5392639	Date		05/31/2008
LOCATION ORIGIN Airframe		INSTALLED C/W 05/04/2007 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS 12 MO WO# MH12410		
<b>LIFE RAFT</b>	<b>Inspection</b>	R0070-105	55165480	Date		05/31/2008
LOCATION ORIGIN Airframe		INSTALLED C/W 05/04/2007 SINCE NEW SINCE OHL OVERHAULED No		ACCUM USAGE LIFE / INTERVAL REMAINING REMARKS 12 MO WO# MH12411		

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>POWER TURBINE DISK</b>	<b>Component</b>	3022312	5T093	Hours	15,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3975.20	
ORIGIN ENG 1		SINCE NEW	3975.20	LIFE / INTERVAL	15,000	
		SINCE OHL		REMAINING	11,024.80	
		OVERHAULED	No	REMARKS	RETIRE, HOURS	
<b>POWER TURBINE DISK</b>	<b>Component</b>	3022312	5T093	Cycles	51,624.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	11325.00	
ORIGIN ENG 1		SINCE NEW	11325.00	LIFE / INTERVAL	57,000	
		SINCE OHL		REMAINING	45,675.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	
<b>POWER TURBINE DISK</b>	<b>Component</b>	3022312	5T109	Hours	15,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3975.20	
ORIGIN ENG 2		SINCE NEW	3975.20	LIFE / INTERVAL	15,000	
		SINCE OHL		REMAINING	11,024.80	
		OVERHAULED	No	REMARKS	RETIRE, HOURS	
<b>POWER TURBINE DISK</b>	<b>Component</b>	3022312	5T109	Cycles	51,624.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	11325.00	
ORIGIN ENG 2		SINCE NEW	11325.00	LIFE / INTERVAL	57,000	
		SINCE OHL		REMAINING	45,675.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	
<b>2nd STAGE COMPRESSOR DISK</b>	<b>Component</b>	3018312	5T894	Cycles	21,958.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	6491.00	
ORIGIN ENG 2		SINCE NEW	6491.00	LIFE / INTERVAL	22,500	
		SINCE OHL		REMAINING	16,009.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	
<b>2nd STAGE COMPRESSOR DISK</b>	<b>Component</b>	3018312	5T974	Cycles	21,958.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	6491.00	
ORIGIN ENG 1		SINCE NEW	6491.00	LIFE / INTERVAL	22,500	
		SINCE OHL		REMAINING	16,009.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	
<b>TORQUE TRIM BOX</b>	<b>Component</b>	788989-2	68071990	Hours	13,294.00	
LOCATION		INSTALLED C/W	3,294.0	ACCUM USAGE	681.20	
ORIGIN ENG 2		SINCE NEW	681.20	LIFE / INTERVAL	10,000	
		SINCE OHL		REMAINING	9,318.80	
		OVERHAULED	No	REMARKS	O/C	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>EXPLOSIVE LINK, R/H MAIN</b>	<b>Component</b>		7268	Date		02/28/2010
LOCATION		INSTALLED C/W	02/28/2000	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	
<b>EXPLOSIVE LINK, L/H MAIN</b>	<b>Component</b>		7329	Date		12/31/2009
LOCATION		INSTALLED C/W	12/31/1999	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	
<b>AFCS ROLL ACTUATOR #1</b>	<b>Component</b>	76900-01802-106	790310006	Hours	6,425.00	
LOCATION		INSTALLED C/W	3,425.	ACCUM USAGE	524.90	
ORIGIN Airframe		SINCE NEW	1266.40	LIFE / INTERVAL	3,000	
		SINCE OHL	524.90	REMAINING	2,475.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>GAS GENERATOR ASSY</b>	<b>Component</b>	3105079-01	7C147	Hours	6,794.30	
LOCATION		INSTALLED C/W	2,993.0	ACCUM USAGE	680.90	
ORIGIN ENG 2		SINCE NEW	680.90	LIFE / INTERVAL	3,500	
		SINCE OHL	680.90	REMAINING	2,819.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>GAS GENERATOR ASSY</b>	<b>Component</b>	3105079-01	7C252	Hours	6,792.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	3,500	
		SINCE OHL	682.90	REMAINING	2,817.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>CENTRIFUGAL IMPELLER</b>	<b>Component</b>	3027798	7C475	Cycles	28,639.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	6310.00	
ORIGIN ENG 2		SINCE NEW	6310.00	LIFE / INTERVAL	29,000	
		SINCE OHL		REMAINING	22,690.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	
<b>CENTRIFUGAL IMPELLER</b>	<b>Component</b>	3027798	7C511	Cycles	28,639.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	6310.00	
ORIGIN ENG 1		SINCE NEW	6310.00	LIFE / INTERVAL	29,000	
		SINCE OHL		REMAINING	22,690.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>3RD STAGE COMPRESSOR DISK</b>	<b>Component</b>	3017713	7T430	Cycles	27,458.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	6491.00	
ORIGIN ENG 1		SINCE NEW	6491.00	LIFE / INTERVAL	28,000	
		SINCE OHL		REMAINING	21,509.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	
<b>AFCS YAW ACTUATOR #1</b>	<b>Component</b>	76900-01802-106	80101813	Hours	6,003.70	
LOCATION		INSTALLED C/W	3,003.7	ACCUM USAGE	946.20	
ORIGIN Airframe		SINCE NEW	391.10	LIFE / INTERVAL	3,000	
		SINCE OHL	946.20	REMAINING	2,053.80	
		OVERHAULED	Yes	REMARKS	O/H	
<b>AFCS ROLL ACTUATOR #2</b>	<b>Component</b>	76900-01802-106	81012210	Hours	6,558.80	
LOCATION		INSTALLED C/W	2,565	ACCUM USAGE	391.10	
ORIGIN Airframe		SINCE NEW	9148.00	LIFE / INTERVAL	3,000	
		SINCE OHL	1384.90	REMAINING	2,608.90	
		OVERHAULED	Yes	REMARKS	O/H	
<b>ENG FIRE BOTTLE, #2 12 MO WT CK</b>	<b>Component</b>	472258	81076EK	Date		12/31/2008
LOCATION		INSTALLED C/W	12/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOGBOOK LS # 539553	
<b>ENG FIRE BOTTLE, #2</b>	<b>Component</b>	472258	81076EK	Date		02/28/2013
LOCATION		INSTALLED C/W	02/28/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	HYDRO, 5 YEAR	
<b>ENG FIRE BOTTLE, #1 12 MO WT CK</b>	<b>Component</b>	472258	81093EK	Date		12/31/2008
LOCATION		INSTALLED C/W	12/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOG BOOK LS # 539553	
<b>ENG FIRE BOTTLE, #1</b>	<b>Component</b>	472258	81093EK	Date		02/28/2013
LOCATION		INSTALLED C/W	02/28/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	HYDRO, 5 YEAR	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>AFCS PITCH ACTUATOR #2</b>	<b>Component</b>	76900-01802-106	8403878	Hours	6,305.90	
LOCATION		INSTALLED C/W	3,305.9	ACCUM USAGE	644.00	
ORIGIN Airframe		SINCE NEW	391.10	LIFE / INTERVAL	3,000	
		SINCE OHL	644.00	REMAINING	2,356.00	
		OVERHAULED	Yes	REMARKS	O/H	
<b>TORQUE TRIM BOX</b>	<b>Component</b>	788989-2	86066869	Hours	13,292.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	10,000	
		SINCE OHL		REMAINING	9,317.10	
		OVERHAULED	No	REMARKS	O/C	
<b>TRIM BOX</b>	<b>Component</b>	788973-1	86082100	Hours	10,293.20	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	3682.00	
ORIGIN ENG 1		SINCE NEW	3682.00	LIFE / INTERVAL	10,000	
		SINCE OHL		REMAINING	6,318.00	
		OVERHAULED	No	REMARKS	O/C TT & TSO UNK	
<b>TRIM BOX</b>	<b>Component</b>	788989-1	88125151	Hours	10,292.50	
LOCATION		INSTALLED C/W	3,294.0	ACCUM USAGE	3682.70	
ORIGIN ENG 2		SINCE NEW	3682.70	LIFE / INTERVAL	10,000	
		SINCE OHL		REMAINING	6,317.30	
		OVERHAULED	No	REMARKS	O/C TT & TSO UNK	
<b>COMPRESSOR TURBINE DISK</b>	<b>Component</b>	3024211	8T088	Cycles	12,025.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	9924.00	
ORIGIN ENG 2		SINCE NEW	9924.00	LIFE / INTERVAL	16,000	
		SINCE OHL		REMAINING	6,076.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	
<b>COMPRESSOR TURBINE DISK</b>	<b>Component</b>	3024211	8T119	Cycles	12,025.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	9924.00	
ORIGIN ENG 1		SINCE NEW	9924.00	LIFE / INTERVAL	16,000	
		SINCE OHL		REMAINING	6,076.00	
		OVERHAULED	No	REMARKS	RETIRE, CYCLES	
<b>MAIN GEAR BLOW DOWN BOTTLE</b>	<b>Component</b>	76650-01801-103	942	Date		03/31/2012
LOCATION		INSTALLED C/W	03/31/1997	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 15 YEAR FROM MFG 3Q/97	

**N56RD**

03/20/2008

**Sikorsky**

**S-76B STARTS**

Hour meter: **3949.90**



S/N: 760368      CYCLES: 5,949  
 TT: 3,949.90      RIN: 7,033

**D E T A I L   R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>MAIN GEAR BLOW DOWN BOTTLE</b>	<b>Component</b>	76650-01801-103	942	Date		10/31/2008
LOCATION		INSTALLED C/W	10/31/2005	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	HYDRO, 3 YEAR	
<b>AFCS YAW ACTUATOR #2</b>	<b>Component</b>	76900-01802-106	99030483	Hours	4,811.00	
LOCATION		INSTALLED C/W	3,490.5	ACCUM USAGE	2138.90	
ORIGIN Airframe		SINCE NEW	2138.90	LIFE / INTERVAL	3,000	
		SINCE OHL	459.40	REMAINING	861.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>BLEED VALVE, CLEANING</b>	<b>Component</b>	3123389	99093LS	Hours	4,287.40	
LOCATION		INSTALLED C/W	3,787.4	ACCUM USAGE	187.80	
ORIGIN ENG 2		SINCE NEW	187.80	LIFE / INTERVAL	500.0	
		SINCE OHL		REMAINING	312.20	
		OVERHAULED	No	REMARKS	POST SB11059 REF 72-00-01	
<b>BLEED VALVE</b>	<b>Component</b>	3123389	99093LS	Hours	13,294.00	
LOCATION		INSTALLED C/W	3586.50	ACCUM USAGE	681.20	
ORIGIN ENG 2		SINCE NEW	681.20	LIFE / INTERVAL	10,000	
		SINCE OHL	681.20	REMAINING	9,318.80	
		OVERHAULED	Yes	REMARKS	O/C	
<b>BLEED VALVE</b>	<b>Component</b>	3123389CL	99096	Hours	13,292.30	
LOCATION		INSTALLED C/W	3585.50	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	10,000	
		SINCE OHL	682.90	REMAINING	9,317.10	
		OVERHAULED	Yes	REMARKS	O/C	
<b>BLEED VALVE, CLEANING</b>	<b>Component</b>	3123389CL	99096	Hours	4,286.40	
LOCATION		INSTALLED C/W	3,786.4	ACCUM USAGE	188.80	
ORIGIN ENG 1		SINCE NEW	188.80	LIFE / INTERVAL	500.0	
		SINCE OHL		REMAINING	311.20	
		OVERHAULED	No	REMARKS	POST SB11059 REF 72-00-01	
<b>1ST STAGE HUB</b>	<b>Component</b>	3018111	9T137	Hours	15,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3975.20	
ORIGIN ENG 1		SINCE NEW	3975.20	LIFE / INTERVAL	15,000	
		SINCE OHL		REMAINING	11,024.80	
		OVERHAULED	No	REMARKS	RETIRE, HOURS	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>1ST STAGE HUB</b>	<b>Component</b>	3018111	9T137	Cycles	96,570.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 19379.00		
ORIGIN ENG 1		SINCE NEW 19379.00		LIFE / INTERVAL 110,000		
		SINCE OHL		REMAINING 90,621.00		
		OVERHAULED No		REMARKS RETIRE, CYCLES		
<b>XMSN UPPER HOUSING</b>	<b>Component</b>	76351-09002-053	A001-00489	Hours	10,419.10	
LOCATION		INSTALLED C/W 3,672.8		ACCUM USAGE 3930.80		
ORIGIN Airframe		SINCE NEW 3930.80		LIFE / INTERVAL 10,400		
		SINCE OHL		REMAINING 6,469.20		
		OVERHAULED No		REMARKS RETIRE		
<b>SWASHPLATE GUIDE</b>	<b>Component</b>	70351-09029-101	A028-00708	Hours	20,019.10	
LOCATION		INSTALLED C/W 3,672.8		ACCUM USAGE 3930.80		
ORIGIN Airframe		SINCE NEW 3930.80		LIFE / INTERVAL 20,000		
		SINCE OHL		REMAINING 16,069.20		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR G/BOX OUTPUT SHAFT</b>	<b>Component</b>	76358-05124-042	A069-00236	Hours	9,100.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 9,100		
		SINCE OHL		REMAINING 5,150.10		
		OVERHAULED No		REMARKS RETIRE		
<b>M/R BLADE, BLACK</b>	<b>Component</b>	76150-09100-052A	A086-01808	Hours	28,008.50	
LOCATION		INSTALLED C/W 3,268.3		ACCUM USAGE 3941.40		
ORIGIN Airframe		SINCE NEW 3455.40		LIFE / INTERVAL 28,000		
		SINCE OHL		REMAINING 24,058.60		
		OVERHAULED No		REMARKS RETIRE		
<b>M/R BLADE, RED</b>	<b>Component</b>	76150-09100-052A	A086-01809	Hours	28,008.50	
LOCATION		INSTALLED C/W 2,603.3		ACCUM USAGE 3941.40		
ORIGIN Airframe		SINCE NEW 2790.40		LIFE / INTERVAL 28,000		
		SINCE OHL		REMAINING 24,058.60		
		OVERHAULED No		REMARKS RETIRE		
<b>M/R BLADE, BLUE</b>	<b>Component</b>	76150-09100-052A	A086-01810	Hours	28,008.50	
LOCATION		INSTALLED C/W 2,603.3		ACCUM USAGE 3941.40		
ORIGIN Airframe		SINCE NEW 2790.40		LIFE / INTERVAL 28,000		
		SINCE OHL		REMAINING 24,058.60		
		OVERHAULED No		REMARKS RETIRE		

N56RD

03/20/2008

Sikorsky

S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>M/R BLADE, YELLOW</b>	<b>Component</b>	76150-09100-053	A086-01811	Hours	28,008.50	
LOCATION		INSTALLED C/W 2,603.3		ACCUM USAGE 3941.40		
ORIGIN Airframe		SINCE NEW 2790.40		LIFE / INTERVAL 28,000		
		SINCE OHL		REMAINING 24,058.60		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR SPAR</b>	<b>Component</b>	76101-05017-045	A116-02004	Hours	100,044.40	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 3905.50		
ORIGIN Airframe		SINCE NEW 3905.50		LIFE / INTERVAL 100,000		
		SINCE OHL		REMAINING 96,094.50		
		OVERHAULED No		REMARKS O/C		
<b>TAIL ROTOR RETAINING PLATE</b>	<b>Component</b>	76102-05001-047	A131-00345	Hours	9,100.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 9,100		
		SINCE OHL		REMAINING 5,150.10		
		OVERHAULED No		REMARKS RETIRE		
<b>SPINDLE, YELLOW</b>	<b>Component</b>	76102-08001-045	A134-01586	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 1,050.10		
		OVERHAULED No		REMARKS RETIRE		
<b>SPINDLE, RED</b>	<b>Component</b>	76102-08001-045	A134-01678	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 1,050.10		
		OVERHAULED No		REMARKS RETIRE		
<b>SPINDLE, BLACK</b>	<b>Component</b>	76102-08001-045	A134-01762	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 1,050.10		
		OVERHAULED No		REMARKS RETIRE		
<b>SPINDLE, BLUE</b>	<b>Component</b>	76102-08001-045	A134-01827	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 1,050.10		
		OVERHAULED No		REMARKS RETIRE		

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>TAIL BOOM ASSY</b>	<b>Component</b>	76000-04000-041	A172-00368	Hours	100,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 100,000		
		SINCE OHL		REMAINING 96,050.10		
		OVERHAULED No		REMARKS O/C MOD TO 76070-20530-041		
<b>LWR BIFILAR ARM</b>	<b>Component</b>	76107-08001-045	A173-00382	Hours	29,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 29,400		
		SINCE OHL		REMAINING 25,450.10		
		OVERHAULED No		REMARKS RETIRE		
<b>XMSN SPLINE ADAPTER</b>	<b>Component</b>	76351-09626-103	A211-00241	Hours	36,595.40	
LOCATION		INSTALLED C/W 3,268.2		ACCUM USAGE 4354.50		
ORIGIN Airframe		SINCE NEW 4354.50		LIFE / INTERVAL 37,000		
		SINCE OHL		REMAINING 32,645.50		
		OVERHAULED No		REMARKS RETIRE		
<b>XMSN QUILL SHAFT</b>	<b>Component</b>	76351-09628-101	A212-00325	Hours	8,595.40	
LOCATION		INSTALLED C/W 3,268.2		ACCUM USAGE 4354.50		
ORIGIN Airframe		SINCE NEW 4354.50		LIFE / INTERVAL 9,000		
		SINCE OHL 4354.50		REMAINING 4,645.50		
		OVERHAULED Yes		REMARKS RETIRE		
<b>DRIVE SHAFT</b>	<b>Component</b>	76361-09202-055	A230-00401	Hours	13,294.30	
LOCATION		INSTALLED C/W 2,993.0		ACCUM USAGE 680.90		
ORIGIN ENG 2		SINCE NEW 680.90		LIFE / INTERVAL 10,000		
		SINCE OHL		REMAINING 9,319.10		
		OVERHAULED No		REMARKS O/C		
<b>DRIVE SHAFT</b>	<b>Component</b>	76361-09202-055	A230-00404	Hours	13,292.30	
LOCATION		INSTALLED C/W 3,292.3		ACCUM USAGE 682.90		
ORIGIN ENG 1		SINCE NEW 682.90		LIFE / INTERVAL 10,000		
		SINCE OHL		REMAINING 9,317.10		
		OVERHAULED No		REMARKS O/C		
<b>XMSN ASSY</b>	<b>Component</b>	76351-09600-044	A231-00225	Hours	6,518.20	
LOCATION		INSTALLED C/W 3,672.8		ACCUM USAGE 681.70		
ORIGIN Airframe		SINCE NEW 4354.50		LIFE / INTERVAL 3,250		
		SINCE OHL 681.70		REMAINING 2,568.30		
		OVERHAULED Yes		REMARKS OVERHAUL		

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>SWASHPLATE</b>	<b>Inspection</b>	76104-08500-041	A238-00071	Hours		02/28/2009
LOCATION		INSTALLED C/W 3,522.7		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 3,000		
		SINCE OHL		REMAINING		
		OVERHAULED Yes		REMARKS INSPECT		
<b>TAIL ROTOR G/BOX</b>	<b>Component</b>	76358-05600-041	A239-00068	Hours	4,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 4,000		
		SINCE OHL 3949.90		REMAINING 50.10		
		OVERHAULED Yes		REMARKS O/H		
<b>INTERMEDIATE G/BOX</b>	<b>Component</b>	76357-05600-041	A242-00074	Hours	4,500.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 4,500		
		SINCE OHL 3949.90		REMAINING 550.10		
		OVERHAULED Yes		REMARKS O/H		
<b>TAIL ROTOR PADDLE</b>	<b>Component</b>	76101-05501-042	A245-00147	Hours	20,044.40	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 3905.50		
ORIGIN Airframe		SINCE NEW 3905.50		LIFE / INTERVAL 20,000		
		SINCE OHL		REMAINING 16,094.50		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PADDLE</b>	<b>Component</b>	76101-05501-042	A245-00498	Hours	22,323.30	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 1626.60		
ORIGIN Airframe		SINCE NEW 1626.60		LIFE / INTERVAL 20,000		
		SINCE OHL		REMAINING 18,373.40		
		OVERHAULED No		REMARKS RETIRE		
<b>ENG MNT FWD X-BEAM</b>	<b>Component</b>	76070-20526-050	A253-00067	Hours	26,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 26,400		
		SINCE OHL		REMAINING 22,450.10		
		OVERHAULED No		REMARKS RETIRE		
<b>STABILIZER ASSY</b>	<b>Component</b>	76080-20063-051	A253-00080	Hours	37,700.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 37,700		
		SINCE OHL		REMAINING 33,750.10		
		OVERHAULED No		REMARKS RETIRE		

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>TAIL ROTOR SPAR</b>	<b>Component</b>	76101-05017-045	A293-02468	Hours	102,323.30	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 1626.60		
ORIGIN Airframe		SINCE NEW 1626.60		LIFE / INTERVAL 100,000		
		SINCE OHL		REMAINING 98,373.40		
		OVERHAULED No		REMARKS O/C		
<b>TAIL ROTOR PITCH HORN</b>	<b>Component</b>	76101-05006-042	A334-02446A	Hours	12,044.40	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 3905.50		
ORIGIN Airframe		SINCE NEW 3905.50		LIFE / INTERVAL 12,000		
		SINCE OHL		REMAINING 8,094.50		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PITCH HORN</b>	<b>Component</b>	76101-05006-042	A334-02447B	Hours	12,044.40	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 3905.50		
ORIGIN Airframe		SINCE NEW 3905.50		LIFE / INTERVAL 12,000		
		SINCE OHL		REMAINING 8,094.50		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PITCH HORN</b>	<b>Component</b>	76101-05006-042	A334-03464A	Hours	14,323.30	
LOCATION		INSTALLED C/W 3,634		ACCUM USAGE 1626.60		
ORIGIN Airframe		SINCE NEW 1626.60		LIFE / INTERVAL 12,000		
		SINCE OHL		REMAINING 10,373.40		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PITCH HORN</b>	<b>Component</b>	76101-05006-042	A334-03465B	Hours	14,323.30	
LOCATION		INSTALLED C/W 3,435		ACCUM USAGE 1626.60		
ORIGIN Airframe		SINCE NEW 1626.60		LIFE / INTERVAL 12,000		
		SINCE OHL		REMAINING 10,373.40		
		OVERHAULED No		REMARKS RETIRE		
<b>HMU ALTERNATOR</b>	<b>Component</b>	787223-1	A5677	Hours	7,292.30	
LOCATION		INSTALLED C/W 3,292.3		ACCUM USAGE 682.90		
ORIGIN ENG 1		SINCE NEW 682.90		LIFE / INTERVAL 4,000		
		SINCE OHL 682.90		REMAINING 3,317.10		
		OVERHAULED Yes		REMARKS O/H		
<b>M/R BLADES 900 HR INSP</b>	<b>Inspection</b>		ALL 4	Hours	4,786.50	
LOCATION		INSTALLED C/W 3,886.5		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 900		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS		

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>M/R BLADES 500 HR INSP</b>	<b>Inspection</b>		ALL 4	Hours	4,386.50	
LOCATION		INSTALLED C/W	3,886.5	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	500	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>M/R HUB 3000 HR / 3 YEAR INSPECTION</b>	<b>Inspection</b>	76103-08010-050	B027-00395	Hours	6,522.70	02/28/2009
LOCATION		INSTALLED C/W	3,522.7	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>M/R HUB ASSY</b>	<b>Component</b>	76103-08010-050	B027-00395	Hours	22,000.60	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.30	
ORIGIN Airframe		SINCE NEW	3949.30	LIFE / INTERVAL	22,000	
		SINCE OHL		REMAINING	18,050.70	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PITCH HORN, BLACK</b>	<b>Component</b>	76102-08011-046	B050-001781	Hours	21,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	21,700	
		SINCE OHL		REMAINING	17,750.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PITCH HORN, RED</b>	<b>Component</b>	76102-08011-046	B050-01842	Hours	21,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	21,700	
		SINCE OHL		REMAINING	17,750.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PITCH HORN, YELLOW</b>	<b>Component</b>	76102-08011-046	B050-01860	Hours	21,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	21,700	
		SINCE OHL		REMAINING	17,750.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PITCH HORN, BLUE</b>	<b>Component</b>	76102-08011-046	B050-01873	Hours	21,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	21,700	
		SINCE OHL		REMAINING	17,750.10	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>BIFILAR WEIGHT ASSY</b>	<b>Component</b>	76107-08004-057	B187-00128	Hours	29,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 29,400		
		SINCE OHL		REMAINING 25,450.10		
		OVERHAULED No		REMARKS RETIRE		
<b>BIFILAR WEIGHT ASSY</b>	<b>Component</b>	76107-08004-057	B187-00133	Hours	29,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 29,400		
		SINCE OHL		REMAINING 25,450.10		
		OVERHAULED No		REMARKS RETIRE		
<b>BIFILAR WEIGHT ASSY</b>	<b>Component</b>	76107-08004-057	B187-00134	Hours	29,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 29,400		
		SINCE OHL		REMAINING 25,450.10		
		OVERHAULED No		REMARKS RETIRE		
<b>BIFILAR WEIGHT ASSY</b>	<b>Component</b>	76107-08004-057	B187-00135	Hours	29,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 29,400		
		SINCE OHL		REMAINING 25,450.10		
		OVERHAULED No		REMARKS RETIRE		
<b>KAHR BEARING, BLUE</b>	<b>Component</b>	SB-5206-202	B199-14061	Hours	4,239.80	
LOCATION		INSTALLED C/W 2,989.8		ACCUM USAGE 960.10		
ORIGIN Airframe		SINCE NEW 960.10		LIFE / INTERVAL 1,250		
		SINCE OHL		REMAINING 289.90		
		OVERHAULED No		REMARKS RETIRE		
<b>KAHR BEARING, YELLOW</b>	<b>Component</b>	SB-5206-202	B199-14124	Hours	4,239.80	
LOCATION		INSTALLED C/W 2,989.8		ACCUM USAGE 960.10		
ORIGIN Airframe		SINCE NEW 960.10		LIFE / INTERVAL 1,250		
		SINCE OHL		REMAINING 289.90		
		OVERHAULED No		REMARKS RETIRE		
<b>KAHR BEARING, BLACK</b>	<b>Component</b>	SB-5206-202	B199-14124	Hours	4,239.80	
LOCATION		INSTALLED C/W 2,989.8		ACCUM USAGE 960.10		
ORIGIN Airframe		SINCE NEW 960.10		LIFE / INTERVAL 1,250		
		SINCE OHL		REMAINING 289.90		
		OVERHAULED No		REMARKS RETIRE		

N56RD

03/20/2008

Sikorsky

S-76B STARTS

Hour meter: **3949.90**



S/N: 760368 CYCLES: 5,949  
 TT: 3,949.90 RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>KAHR BEARING, RED</b>	<b>Component</b>	SB-5206-202	B199-14163	Hours	4,239.80	
LOCATION		INSTALLED C/W	2,989.8	ACCUM USAGE	960.10	
ORIGIN Airframe		SINCE NEW	960.10	LIFE / INTERVAL	1,250	
		SINCE OHL		REMAINING	289.90	
		OVERHAULED	No	REMARKS	RETIRE	
<b>TAIL ROTOR SERVO</b>	<b>Component</b>	76650-05803-102	B243-00060	Hours	100,380.20	
LOCATION		INSTALLED C/W	3,268.3	ACCUM USAGE	3569.70	
ORIGIN Airframe		SINCE NEW	3569.70	LIFE / INTERVAL	100,000	
		SINCE OHL		REMAINING	96,430.30	
		OVERHAULED	No	REMARKS	ON CONDITION	
<b>MAIN SERVO, AFT</b>	<b>Component</b>	76650-09807-101	B244-00016	Hours	<del>105,998.00</del>	
LOCATION		INSTALLED C/W	3,268.3	ACCUM USAGE	8042.90	
ORIGIN Airframe		SINCE NEW	8042.90	LIFE / INTERVAL	100,000	
		SINCE OHL		REMAINING	91,957.10	
		OVERHAULED	No	REMARKS	ON CONDITION, HAMILTON STANDARD	
<b>MAIN SERVO, LATERAL</b>	<b>Component</b>	76650-09807-101	B244-00051	Hours	<del>108,898.20</del>	
LOCATION		INSTALLED C/W	3,268.3	ACCUM USAGE	5066.70	
ORIGIN Airframe		SINCE NEW	5066.70	LIFE / INTERVAL	100,000	
		SINCE OHL		REMAINING	94,933.30	
		OVERHAULED	No	REMARKS	ON CONDITION, HAMILTON STANDARD	
<b>MAIN SERVO, FWD</b>	<b>Component</b>	76650-09807-101	B244-00159	Hours	97,119.90	
LOCATION		INSTALLED C/W	3,268.3	ACCUM USAGE	6830.00	
ORIGIN Airframe		SINCE NEW	6830.00	LIFE / INTERVAL	100,000	
		SINCE OHL	3397.90	REMAINING	93,170.00	
		OVERHAULED	Yes	REMARKS	ON CONDITION, HAMILTON STANDARD	
<b>T/R D/S BRNG #3</b>	<b>Component</b>	SB1138-102	B626-47827	Hours	6,078.80	09/12/2008
LOCATION		INSTALLED C/W	3,078.8	ACCUM USAGE	871.10	
ORIGIN Airframe		SINCE NEW	871.10	LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING	2,128.90	
		OVERHAULED	No	REMARKS	RETIRE	
<b>T/R D/S BRNG #2</b>	<b>Component</b>	SB1138-102	B626-51541	Hours	6,078.80	09/12/2008
LOCATION		INSTALLED C/W	3,078.8	ACCUM USAGE	871.10	
ORIGIN Airframe		SINCE NEW	871.10	LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING	2,128.90	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky

S-76B STARTS



Hour meter: **3949.90**

S/N: 760368 CYCLES: 5,949  
TT: 3,949.90 RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>T/R D/S BRNG #1</b>	<b>Component</b>	SB1138-102	B626-51589	Hours	6,078.80	09/12/2008
LOCATION		INSTALLED C/W	3,078.8	ACCUM USAGE	871.10	
ORIGIN Airframe		SINCE NEW	871.10	LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING	2,128.90	
		OVERHAULED	No	REMARKS	RETIRE	
<b>STAB SUPPORT FITTING</b>	<b>Component</b>	76209-04004-045	BE-001	Hours	14,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	14,000	
		SINCE OHL		REMAINING	10,050.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>STAB RETAINING FITTING</b>	<b>Component</b>	76209-04004-042	BE-002	Hours	14,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	14,000	
		SINCE OHL		REMAINING	10,050.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>TAIL ROTOR G/BOX OUTPUT FLANGE</b>	<b>Component</b>	76102-05118-047	C070-00044	Hours	9,100.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	9,100	
		SINCE OHL		REMAINING	5,150.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>SPINDLE NUT, RED</b>	<b>Component</b>	76102-08003-103	C186-000172	Hours	5,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	5,000	
		SINCE OHL		REMAINING	1,050.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>SPINDLE NUT, BLUE</b>	<b>Component</b>	76102-08003-103	C186-00026	Hours	5,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	5,000	
		SINCE OHL		REMAINING	1,050.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>SPINDLE NUT, YELLOW</b>	<b>Component</b>	76102-08003-103	C186-00079	Hours	5,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	5,000	
		SINCE OHL		REMAINING	1,050.10	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky

S-76B STARTS

Hour meter: **3949.90**



S/N: 760368 CYCLES: 5,949  
TT: 3,949.90 RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>SPINDLE NUT, BLACK</b>	<b>Component</b>	76102-08003-103	C186-00085	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 3949.90		
ORIGIN Airframe		SINCE NEW 3949.90		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 1,050.10		
		OVERHAULED No		REMARKS RETIRE		
<b>SENSOR, TORQUE PROBE</b>	<b>Component</b>	3034678	CH511	Hours	13,294.00	
LOCATION		INSTALLED C/W 3,294.0		ACCUM USAGE 681.20		
ORIGIN ENG 2		SINCE NEW 681.20		LIFE / INTERVAL 10,000		
		SINCE OHL 681.20		REMAINING 9,318.80		
		OVERHAULED Yes		REMARKS O/C		
<b>OUTER CYLINDER R/H</b>	<b>Component</b>	1945F302	CPC-1296JK	RIN	36,600.00	
LOCATION		INSTALLED C/W 658		ACCUM USAGE 2383.00		
ORIGIN Airframe		SINCE NEW 2383.00		LIFE / INTERVAL 31,950		
		SINCE OHL		REMAINING 29,567.00		
		OVERHAULED No		REMARKS RETIRE		
<b>P/ROD, ROD END L/H</b>	<b>Component</b>	2071-235	CPT-0017X	RIN	31,117.00	
LOCATION		INSTALLED C/W 3,358		ACCUM USAGE 37116.00		
ORIGIN Airframe		SINCE NEW 37116.00		LIFE / INTERVAL 61,200		
		SINCE OHL		REMAINING 24,084.00		
		OVERHAULED No		REMARKS RETIRE		
<b>PISTON ROD NOSE</b>	<b>Component</b>	1944E204	CPT-0039ADE	RIN	99,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7033.00		
ORIGIN Airframe		SINCE NEW 7033.00		LIFE / INTERVAL 99,000		
		SINCE OHL		REMAINING 91,967.00		
		OVERHAULED No		REMARKS RETIRE		
<b>AXLE NOSE</b>	<b>Component</b>	2070-85	CPT-0075BI	RIN	224,248.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7033.00		
ORIGIN Airframe		SINCE NEW 7033.00		LIFE / INTERVAL 224,248		
		SINCE OHL		REMAINING 217,215.00		
		OVERHAULED No		REMARKS RETIRE		
<b>AXLE L/H</b>	<b>Component</b>	2071-85	CPT-0080BI	RIN	105,210.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7033.00		
ORIGIN Airframe		SINCE NEW 7033.00		LIFE / INTERVAL 105,210		
		SINCE OHL		REMAINING 98,177.00		
		OVERHAULED No		REMARKS RETIRE		

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>AXLE SUPPORT FITTING L/H</b>	<b>Component</b>	2071-12	CPT-0115SN	RIN	33,300.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	33,300	
		SINCE OHL		REMAINING	26,267.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PIN, UNIVERSAL TO CYL L/H</b>	<b>Component</b>	1945C29	CPT-0117BI	RIN	72,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	72,000	
		SINCE OHL		REMAINING	64,967.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>DRAG BRACE CYLINDER NOSE</b>	<b>Component</b>	2070-201	CPT-0119ADE	RIN	103,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	103,500	
		SINCE OHL		REMAINING	96,467.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON, NOSE</b>	<b>Component</b>	2070-4	CPT-0131AT	RIN	161,451.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	161,451	
		SINCE OHL		REMAINING	154,418.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON L/H</b>	<b>Component</b>	1945E314	CPT-0134JK	RIN	148,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	148,500	
		SINCE OHL		REMAINING	141,467.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>LOWER TORQUE ARM L/H</b>	<b>Component</b>	2071-47	CPT-0134SN	RIN	53,676.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	53,676	
		SINCE OHL		REMAINING	46,643.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>LOWER TORQUE ARM R/H</b>	<b>Component</b>	2071-47	CPT-0138SN	RIN	53,676.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	53,676	
		SINCE OHL		REMAINING	46,643.00	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>DRAG BRACE PISTON, NOSE</b>	<b>Component</b>	2070-212B	CPT-0145ADE	RIN	180,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	180,000	
		SINCE OHL		REMAINING	172,967.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>AXLE SUPPORT FITTING R/H</b>	<b>Component</b>	2071-12	CPT-0148SN	RIN	33,300.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	33,300	
		SINCE OHL		REMAINING	26,267.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PIN, PR TO U ARM</b>	<b>Component</b>	2071-32	CPT-0172BI	RIN	112,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	112,500	
		SINCE OHL		REMAINING	105,467.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PIN, UNIVERSAL TO CYLINDER R/H</b>	<b>Component</b>	2071-29	CPT-0196BI	RIN	72,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	72,000	
		SINCE OHL		REMAINING	64,967.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PIN, PR TO U ARM R/H</b>	<b>Component</b>	2071-32	CPT-0199BI	RIN	112,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	112,500	
		SINCE OHL		REMAINING	105,467.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>AXLE R/H</b>	<b>Component</b>	2071-85	CPT-0265-BI	RIN	105,210.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	105,210	
		SINCE OHL		REMAINING	98,177.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>DRAG BRACE ROD END R/H</b>	<b>Component</b>	2071-35	CPT-0411BI	RIN	107,388.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	107,388	
		SINCE OHL		REMAINING	100,355.00	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS

Hour meter: **3949.90**



S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>DRAG BRACE ROD END L/H</b>	<b>Component</b>	2071-35	CPT-0436BI	RIN	107,338.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	107,338	
		SINCE OHL		REMAINING	100,305.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON L/H</b>	<b>Component</b>	2071-4	CPT-0440SN	RIN	128,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	128,700	
		SINCE OHL		REMAINING	121,667.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON R/H</b>	<b>Component</b>	2071-4	CPT-0455JO	RIN	128,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	128,700	
		SINCE OHL		REMAINING	121,667.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>GEAR ACTUATOR, NOSE</b>	<b>Component</b>	2070A200	CPT-0526ADE	Date		12/31/2020
LOCATION		INSTALLED C/W	12/31/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>FORK NOSE</b>	<b>Component</b>	2070-60	CPT-0554JK	RIN	144,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	144,000	
		SINCE OHL		REMAINING	136,967.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>CYLINDER, NOSE</b>	<b>Component</b>	2070-2	CPT-0607JK	RIN	60,750.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	60,750	
		SINCE OHL		REMAINING	53,717.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>LOWER DRAG BRACE R/H</b>	<b>Component</b>	2071-74	CPT-0608HSM	RIN	207,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	207,000	
		SINCE OHL		REMAINING	199,967.00	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky

S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>RETRACTION BRACE L/H</b>	<b>Component</b>	2071-76-12	CPT-0615JK	RIN	184,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	184,500	
		SINCE OHL		REMAINING	177,467.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>RETRACTION BRACE R/H</b>	<b>Component</b>	2071-76-12	CPT-0669JK	RIN	184,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	184,500	
		SINCE OHL		REMAINING	177,467.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>CYLINDER R/H</b>	<b>Component</b>	1945E2	CPT-0698JK	RIN	108,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	108,000	
		SINCE OHL		REMAINING	100,967.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>GEAR ACTUATOR R/H</b>	<b>Component</b>	1945G200-002	CPT-0796JK	Date		12/31/2020
LOCATION		INSTALLED C/W	12/31/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>CYLINDER L/H</b>	<b>Component</b>	1945E2	CPT-0951JK	RIN	107,900.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7133.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	108,000	
		SINCE OHL		REMAINING	100,867.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>UPPER TORQUE ARM R/H</b>	<b>Component</b>	2071-46	CPT-1059AP	RIN	120,730.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	120,730	
		SINCE OHL		REMAINING	113,697.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>UPPER TORQUE ARM L/H</b>	<b>Component</b>	2071-46	CPT-1086AP	RIN	120,730.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	120,730	
		SINCE OHL		REMAINING	113,697.00	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky

S-76B STARTS



Hour meter: **3949.90**

S/N: 760368 CYCLES: 5,949  
TT: 3,949.90 RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>LOWER DRAG BRACE L/H</b>	<b>Component</b>	2071-74	CPT-1103HSM	RIN	20,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	20,700	
		SINCE OHL		REMAINING	13,667.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>GEAR ACTUATOR L/H</b>	<b>Component</b>	1945G200-001	CPT-1223JK	Date		12/31/2020
LOCATION		INSTALLED C/W	09/15/1991	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>OUTER CYLINDER L/H</b>	<b>Component</b>	1945F302	CPT-1759JK	RIN	31,950.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7033.00	
ORIGIN Airframe		SINCE NEW	7033.00	LIFE / INTERVAL	31,950	
		SINCE OHL		REMAINING	24,917.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>P/ROD, ROD END R/H</b>	<b>Component</b>	2071-35	CPT-BIC-0843	RIN	65,876.00	
LOCATION		INSTALLED C/W	4,676	ACCUM USAGE	2357.00	
ORIGIN Airframe		SINCE NEW	2357.00	LIFE / INTERVAL	61,200	
		SINCE OHL		REMAINING	58,843.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>XMSN MAIN SHAFT</b>	<b>Component</b>	76351-09630-041	D213-00541	Hours	8,168.20	
LOCATION		INSTALLED C/W	3,672.8	ACCUM USAGE	681.70	
ORIGIN Airframe		SINCE NEW	681.70	LIFE / INTERVAL	4,900	
		SINCE OHL		REMAINING	4,218.30	
		OVERHAULED	No	REMARKS	RETIRE	
<b>XMSN SUPPORT FITTING, L/H</b>	<b>Component</b>	76209-03001-051	F021-00013	Hours	23,400.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	23,400	
		SINCE OHL		REMAINING	19,450.10	
		OVERHAULED	No	REMARKS	RETIRE	
<b>XMSN SUPPORT FITTING, R/H</b>	<b>Component</b>	76209-03001-052	F021-00021	Hours	23,400.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	3949.90	
ORIGIN Airframe		SINCE NEW	3949.90	LIFE / INTERVAL	23,400	
		SINCE OHL		REMAINING	19,450.10	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368  
TT: 3,949.90

CYCLES: 5,949  
RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>FUEL CONTROL HMU</b>	<b>Component</b>	787200-8L22	F25972	Hours	7,292.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	4,000	
		SINCE OHL	682.90	REMAINING	3,317.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>HMU ALTERNATOR</b>	<b>Component</b>	787223-1	F28008	Hours	7,294.30	
LOCATION		INSTALLED C/W	2,993.0	ACCUM USAGE	680.90	
ORIGIN ENG 2		SINCE NEW	680.90	LIFE / INTERVAL	4,000	
		SINCE OHL	680.90	REMAINING	3,319.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>FUEL CONTROL HMU</b>	<b>Component</b>	787200-8L22	F35242	Hours	7,294.30	
LOCATION		INSTALLED C/W	2,993.0	ACCUM USAGE	680.90	
ORIGIN ENG 2		SINCE NEW	680.90	LIFE / INTERVAL	4,000	
		SINCE OHL	680.90	REMAINING	3,319.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>ELASTOMERIC ATTACH BOLTS</b>	<b>Component</b>	NKN-626-3	N/A	Hours	19,686.00	
LOCATION		INSTALLED C/W	3,522.7	ACCUM USAGE	3913.80	
ORIGIN Airframe		SINCE NEW	3913.80	LIFE / INTERVAL	19,600	
		SINCE OHL		REMAINING	15,686.20	
		OVERHAULED	No	REMARKS	ALL RETIRE	
<b>ELASTOMERIC ATTACH BOLTS</b>	<b>Component</b>	NAS626-9	N/A	Hours	19,686.00	
LOCATION		INSTALLED C/W	3,522.7	ACCUM USAGE	3913.80	
ORIGIN Airframe		SINCE NEW	3913.80	LIFE / INTERVAL	19,600	
		SINCE OHL		REMAINING	15,686.20	
		OVERHAULED	No	REMARKS	ALL RETIRE	
<b>ENGINE ASSY</b>	<b>Component</b>	PT6B-36A	PCE-36086	Hours	6,794.30	
LOCATION		INSTALLED C/W	3,294.0	ACCUM USAGE	680.90	
ORIGIN ENG 2		SINCE NEW	4245.20	LIFE / INTERVAL	3,500	
		SINCE OHL	680.90	REMAINING	2,819.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>ENGINE ASSY</b>	<b>Component</b>	PT6B-36A	PCE-36089	Hours	6,792.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	3975.20	LIFE / INTERVAL	3,500	
		SINCE OHL	682.90	REMAINING	2,817.10	
		OVERHAULED	Yes	REMARKS	O/H	

N56RD

03/20/2008

Sikorsky  
S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368                      CYCLES: 5,949  
TT: 3,949.90                      RIN: 7,033

**D E T A I L   R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>REDUCTION GEAR BOX</b>	<b>Component</b>	330500-01	RGB-36086	Hours	6,794.30	
LOCATION		INSTALLED C/W	2,993.0	ACCUM USAGE	680.90	
ORIGIN ENG 2		SINCE NEW	3975.20	LIFE / INTERVAL	3,500	
		SINCE OHL	680.90	REMAINING	2,819.10	
		OVERHAULED	Yes	REMARKS	O/H	
<b>T/R D/S BRNG SUPPORT #3</b>	<b>Component</b>	76361-04007-042	SD-0399	Hours	6,078.80	
LOCATION		INSTALLED C/W	3,078.8	ACCUM USAGE	871.10	
ORIGIN Airframe		SINCE NEW	871.10	LIFE / INTERVAL	3,000	
		SINCE OHL	871.10	REMAINING	2,128.90	
		OVERHAULED	Yes	REMARKS	O/H	
<b>T/R D/S BRNG SUPPORT #1</b>	<b>Component</b>	76361-04007-042	SD-0451	Hours	6,078.80	
LOCATION		INSTALLED C/W	3,078.8	ACCUM USAGE	871.10	
ORIGIN Airframe		SINCE NEW	871.10	LIFE / INTERVAL	3,000	
		SINCE OHL	871.10	REMAINING	2,128.90	
		OVERHAULED	Yes	REMARKS	O/H	
<b>T/R D/S BRNG SUPPORT #2</b>	<b>Component</b>	76361-04007-042	SD-0452	Hours	6,078.80	
LOCATION		INSTALLED C/W	3,078.8	ACCUM USAGE	871.10	
ORIGIN Airframe		SINCE NEW	871.10	LIFE / INTERVAL	3,000	
		SINCE OHL	871.10	REMAINING	2,128.90	
		OVERHAULED	Yes	REMARKS	O/H	
<b>PISTON R/H</b>	<b>Component</b>	1945E314	SO-880	RIN	153,150.00	
LOCATION		INSTALLED C/W	658	ACCUM USAGE	2383.00	
ORIGIN Airframe		SINCE NEW	2383.00	LIFE / INTERVAL	148,500	
		SINCE OHL		REMAINING	146,117.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>NOSE LANDING GEAR ASSY</b>	<b>Component</b>	76250-01000-111	T-4641	Date		12/31/2020
LOCATION		INSTALLED C/W	12/31/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>MAIN LANDING GEAR R/H</b>	<b>Component</b>	76250-02500-102	T-4660	Date		12/31/2020
LOCATION		INSTALLED C/W	12/31/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	

N56RD

03/20/2008

Sikorsky

S-76B STARTS

Hour meter: **3949.90**



S/N: 760368 CYCLES: 5,949  
 TT: 3,949.90 RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>MAIN LDG GEAR L/H</b>	<b>Component</b>	76250-02500-101	T-4663	RIN	207,009.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7033.00		
ORIGIN Airframe		SINCE NEW 7033.00		LIFE / INTERVAL 207,000		
		SINCE OHL		REMAINING 199,967.00		
		OVERHAULED No		REMARKS O/C		
<b>PISTON ROD END L/H</b>	<b>Component</b>	01-747-061	T-663	RIN	36,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7033.00		
ORIGIN Airframe		SINCE NEW 7033.00		LIFE / INTERVAL 36,000		
		SINCE OHL		REMAINING 28,967.00		
		OVERHAULED No		REMARKS RETIRE		
<b>3RD STAGE COMPRESSOR DISK</b>	<b>Component</b>	3017713	T7402	Cycles	27,458.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 6491.00		
ORIGIN ENG 2		SINCE NEW 6491.00		LIFE / INTERVAL 28,000		
		SINCE OHL		REMAINING 21,509.00		
		OVERHAULED No		REMARKS RETIRE, CYCLES		
<b>ELECTRONIC ENG CONTROL, #2</b>	<b>Component</b>	UNK	UNK	Hours	13,294.00	
LOCATION		INSTALLED C/W 3,294.0		ACCUM USAGE 681.20		
ORIGIN ENG 2		SINCE NEW 681.20		LIFE / INTERVAL 10,000		
		SINCE OHL		REMAINING 9,318.80		
		OVERHAULED No		REMARKS O/C		
<b>ELECTRONIC ENG CONTROL, #2</b>	<b>Component</b>	UNK	UNK	Hours	13,292.30	
LOCATION		INSTALLED C/W 3,292.3		ACCUM USAGE 682.90		
ORIGIN ENG 1		SINCE NEW 682.90		LIFE / INTERVAL 10,000		
		SINCE OHL		REMAINING 9,317.10		
		OVERHAULED No		REMARKS O/C		
<b>ELECTRONIC ENG CONTROL, #1</b>	<b>Component</b>	UNK	UNK	Hours	13,292.30	
LOCATION		INSTALLED C/W 3,292.3		ACCUM USAGE 682.90		
ORIGIN ENG 1		SINCE NEW 682.90		LIFE / INTERVAL 10,000		
		SINCE OHL		REMAINING 9,317.10		
		OVERHAULED No		REMARKS O/C		
<b>ELECTRONIC ENG CONTROL, #1</b>	<b>Component</b>	UNK	UNK	Hours	13,294.00	
LOCATION		INSTALLED C/W 3,294.0		ACCUM USAGE 681.20		
ORIGIN ENG 2		SINCE NEW 681.20		LIFE / INTERVAL 10,000		
		SINCE OHL		REMAINING 9,318.80		
		OVERHAULED No		REMARKS O/C		

N56RD

03/20/2008

Sikorsky

S-76B

STARTS



Hour meter: **3949.90**

S/N: 760368

CYCLES: 5,949

TT: 3,949.90

RIN: 7,033

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>IGNITION EXCITER</b>	<b>Component</b>	UNK	UNK	Hours	13,292.30	
LOCATION		INSTALLED C/W	3,292.3	ACCUM USAGE	682.90	
ORIGIN ENG 1		SINCE NEW	682.90	LIFE / INTERVAL	10,000	
		SINCE OHL	682.90	REMAINING	9,317.10	
		OVERHAULED	Yes	REMARKS	O/C	
<b>IGNITION EXCITER</b>	<b>Component</b>	UNK	UNK	Hours	13,294.00	
LOCATION		INSTALLED C/W	3,294.0	ACCUM USAGE	681.20	
ORIGIN ENG 2		SINCE NEW	681.20	LIFE / INTERVAL	10,000	
		SINCE OHL	681.20	REMAINING	9,318.80	
		OVERHAULED	Yes	REMARKS	O/C	