

N56RD

05/08/2009

Sikorsky  
S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368  
TT: 4,167.20

CYCLES: 6,206  
RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>MAIN LDG GEAR L/H</b>	<b>Component</b>	76250-02500-101	T-4663	RIN	207,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	207,000	
		SINCE OHL		REMAINING	199,689.00	
		OVERHAULED	No	REMARKS	O/C	
<b>PISTON L/H</b>	<b>Component</b>	2071-4	CPT-0440SN	RIN	128,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	128,700	
		SINCE OHL		REMAINING	121,389.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>100 HR</b>	<b>Inspection</b>			Hours	4,236.20	
LOCATION		INSTALLED C/W	4,136.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	100	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	A/F	
<b>12 MONTH A/F</b>	<b>Inspection</b>			Date		03/31/2009
LOCATION		INSTALLED C/W	03/31/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>25 HR</b>	<b>Inspection</b>			Hours	4,188.20	
LOCATION		INSTALLED C/W	4,163.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	25	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	A/F	
<b>300 HR A/F</b>	<b>Inspection</b>			Hours	4,147.80	
LOCATION		INSTALLED C/W	3,847.8	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>3000 HOUR 3 YEAR M/R BLADE INSP</b>	<b>Inspection</b>			Hours	14,700.00	
LOCATION		INSTALLED C/W	11,700	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	ALL 4 BLADES STARTS @ BLADE TT 11,700	

N56RD

05/08/2009

Sikorsky

S-76B STARTS



Hour meter: 4167.20

S/N: 760368 CYCLES: 6,206  
TT: 4,167.20 RIN: 7,311

DETAIL REPORT

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>36 MONTH FIRE EXT MANIFOLDS</b>	<b>Inspection</b>			Date		12/31/2010
LOCATION		INSTALLED C/W	12/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOG BOOK LS # 539553	
<b>50 HR</b>	<b>Inspection</b>			Hours	4,186.20	
LOCATION		INSTALLED C/W	4,136.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	50	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	A\F & ENG	
<b>500 HR A/F</b>	<b>Inspection</b>			Hours	4,480.40	
LOCATION		INSTALLED C/W	3,980.4	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	500	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>900 HOUR A/F</b>	<b>Inspection</b>			Hours	4,786.50	
LOCATION		INSTALLED C/W	3,886.5	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	900	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>AFCS PITCH ACTUATOR #1</b>	<b>Component</b>	76900-01802-106	0104011	Hours	6,425.00	
LOCATION		INSTALLED C/W	3,425	ACCUM USAGE	742.20	
ORIGIN Airframe		SINCE NEW	3243.50	LIFE / INTERVAL	3,000	
		SINCE OHL	742.20	REMAINING	2,257.80	
		OVERHAULED	Yes	REMARKS	O/H	
<b>AFCS PITCH ACTUATOR #2</b>	<b>Component</b>	76900-01802-106	8403878	Hours	6,305.90	
LOCATION		INSTALLED C/W	3,305.9	ACCUM USAGE	861.30	
ORIGIN Airframe		SINCE NEW	608.40	LIFE / INTERVAL	3,000	
		SINCE OHL	861.30	REMAINING	2,138.70	
		OVERHAULED	Yes	REMARKS	O/H	
<b>AFCS ROLL ACTUATOR #1</b>	<b>Component</b>	76900-01802-106	790310006	Hours	6,425.00	
LOCATION		INSTALLED C/W	3,425.	ACCUM USAGE	742.20	
ORIGIN Airframe		SINCE NEW	1483.70	LIFE / INTERVAL	3,000	
		SINCE OHL	742.20	REMAINING	2,257.80	
		OVERHAULED	Yes	REMARKS	O/H	

**N56RD**

05/08/2009

**Sikorsky**

**S-76B STARTS**



Hour meter: **4167.20**

S/N: 760368                      CYCLES: 6,206  
 TT: 4,167.20                      RIN: 7,311

**D E T A I L   R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>AFCS ROLL ACTUATOR #2</b>	<b>Component</b>	76900-01802-106	81012210	Hours	6,558.80	
LOCATION		INSTALLED C/W	2,565	ACCUM USAGE	608.40	
ORIGIN Airframe		SINCE NEW	9365.30	LIFE / INTERVAL	3,000	
		SINCE OHL	1602.20	REMAINING	2,391.60	
		OVERHAULED	Yes	REMARKS	O/H	
<b>AFCS YAW ACTUATOR #1</b>	<b>Component</b>	76900-01802-106	80101813	Hours	6,003.70	
LOCATION		INSTALLED C/W	3,003.7	ACCUM USAGE	1163.50	
ORIGIN Airframe		SINCE NEW	608.40	LIFE / INTERVAL	3,000	
		SINCE OHL	1163.50	REMAINING	1,836.50	
		OVERHAULED	Yes	REMARKS	O/H	
<b>AFCS YAW ACTUATOR #2</b>	<b>Component</b>	76900-01802-106	99030483	Hours	4,811.00	
LOCATION		INSTALLED C/W	3,490.5	ACCUM USAGE	2356.20	
ORIGIN Airframe		SINCE NEW	2356.20	LIFE / INTERVAL	3,000	
		SINCE OHL	676.70	REMAINING	643.80	
		OVERHAULED	Yes	REMARKS	O/H	
<b>ALTIMETER, CO-PILOT</b>	<b>Inspection</b>	24929-532	3185	Date		09/30/2010
LOCATION		INSTALLED C/W	09/06/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	CALIBRATE	
<b>ALTIMETER, PILOT</b>	<b>Inspection</b>	24929-532	2517	Date		09/30/2010
LOCATION		INSTALLED C/W	09/06/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	CALIBRATE	
<b>ARTEX ELT HEX code:2DC85547D4FFBF</b>	<b>Inspection</b>	C406-1HM	170-09194	Date		03/31/2010
LOCATION		INSTALLED C/W	03/03/2009	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	Insp. Per FAR 91.207 d.	
<b>ASB 76-67-49 TR PEDAL SUPPORT ARM INSP</b>	<b>Inspection</b>			Hours	5,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	5,000	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	INSP FOR CRACKS AT ACFT TT 5000.0	

N56RD

05/08/2009

Sikorsky

S-76B

STARTS

Hour meter: **4167.20**



S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>AUX BATTERY, R/H SP-900</b>	<b>Component</b>	30248-001	10500061	Date		05/31/2009
LOCATION		INSTALLED C/W	02/02/2009	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	3 MONTH SERVICE	
<b>AXLE L/H</b>	<b>Component</b>	2071-85	CPT-0080BI	RIN	105,210.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	105,210	
		SINCE OHL		REMAINING	97,899.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>AXLE NOSE</b>	<b>Component</b>	2070-85	CPT-0075BI	RIN	224,248.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	224,248	
		SINCE OHL		REMAINING	216,937.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>AXLE R/H</b>	<b>Component</b>	2071-85	CPT-0265-BI	RIN	105,210.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	105,210	
		SINCE OHL		REMAINING	97,899.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>AXLE SUPPORT FITTING L/H</b>	<b>Component</b>	2071-12	CPT-0115SN	RIN	33,300.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	33,300	
		SINCE OHL		REMAINING	25,989.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>AXLE SUPPORT FITTING R/H</b>	<b>Component</b>	2071-12	CPT-0148SN	RIN	33,300.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	33,300	
		SINCE OHL		REMAINING	25,989.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>BIFILAR WEIGHT ASSY</b>	<b>Component</b>	76107-08004-057	B187-00135	Hours	29,400.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	29,400	
		SINCE OHL		REMAINING	25,232.80	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

05/08/2009

Sikorsky

S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>BIFILAR WEIGHT ASSY</b>	<b>Component</b>	76107-08004-057	B187-00134	Hours	29,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 29,400		
		SINCE OHL		REMAINING 25,232.80		
		OVERHAULED No		REMARKS RETIRE		
<b>BIFILAR WEIGHT ASSY</b>	<b>Component</b>	76107-08004-057	B187-00133	Hours	29,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 29,400		
		SINCE OHL		REMAINING 25,232.80		
		OVERHAULED No		REMARKS RETIRE		
<b>BIFILAR WEIGHT ASSY</b>	<b>Component</b>	76107-08004-057	B187-00128	Hours	29,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 29,400		
		SINCE OHL		REMAINING 25,232.80		
		OVERHAULED No		REMARKS RETIRE		
<b>BLEED AIR SHUT-OFF VALVE #1</b>	<b>Component</b>	76500-07903-102	1241	Date		12/31/2020
LOCATION #1		INSTALLED C/W 12/10/1990		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS O/C		
<b>BLEED AIR SHUT-OFF VALVE #2</b>	<b>Component</b>	76500-07903-102	1252	Date		12/31/2020
LOCATION		INSTALLED C/W 12/10/1990		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS O/C		
<b>CYLINDER L/H</b>	<b>Component</b>	1945E2	CPT-0951JK	RIN	107,900.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7411.00		
ORIGIN Airframe		SINCE NEW 7311.00		LIFE / INTERVAL 108,000		
		SINCE OHL		REMAINING 100,589.00		
		OVERHAULED No		REMARKS RETIRE		
<b>CYLINDER R/H</b>	<b>Component</b>	1945E2	CPT-0698JK	RIN	108,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7311.00		
ORIGIN Airframe		SINCE NEW 7311.00		LIFE / INTERVAL 108,000		
		SINCE OHL		REMAINING 100,689.00		
		OVERHAULED No		REMARKS RETIRE		

N56RD

05/08/2009

Sikorsky

S-76B STARTS



Hour meter: 4167.20

S/N: 760368 CYCLES: 6,206  
TT: 4,167.20 RIN: 7,311

DETAIL REPORT

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>CYLINDER, NOSE</b>	<b>Component</b>	2070-2	CPT-0607JK	RIN	60,750.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	60,750	
		SINCE OHL		REMAINING	53,439.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>DRAG BRACE CYLINDER NOSE</b>	<b>Component</b>	2070-201	CPT-0119ADE	RIN	103,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	103,500	
		SINCE OHL		REMAINING	96,189.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>DRAG BRACE PISTON, NOSE</b>	<b>Component</b>	2070-212B	CPT-0145ADE	RIN	180,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	180,000	
		SINCE OHL		REMAINING	172,689.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>DRAG BRACE ROD END L/H</b>	<b>Component</b>	2071-35	CPT-0436BI	RIN	107,338.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	107,338	
		SINCE OHL		REMAINING	100,027.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>DRAG BRACE ROD END R/H</b>	<b>Component</b>	2071-35	CPT-0411BI	RIN	107,388.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	107,388	
		SINCE OHL		REMAINING	100,077.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>ELASTOMERIC ATTACH BOLTS</b>	<b>Component</b>	NAS626-9	N/A	Hours	19,600.00	
LOCATION		INSTALLED C/W	3,522.7	ACCUM USAGE	4131.10	
ORIGIN Airframe		SINCE NEW	4131.10	LIFE / INTERVAL	19,600	
		SINCE OHL		REMAINING	15,468.90	
		OVERHAULED	No	REMARKS	ALL RETIRE	
<b>ELASTOMERIC ATTACH BOLTS</b>	<b>Component</b>	NKN-626-3	N/A	Hours	19,600.00	
LOCATION		INSTALLED C/W	3,522.7	ACCUM USAGE	4131.10	
ORIGIN Airframe		SINCE NEW	4131.10	LIFE / INTERVAL	19,600	
		SINCE OHL		REMAINING	15,468.90	
		OVERHAULED	No	REMARKS	ALL RETIRE	

N56RD

05/08/2009

Sikorsky  
S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368  
TT: 4,167.20

CYCLES: 6,206  
RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>ELT BATTERY</b>	<b>Component</b>	452-0133		Date		03/31/2014
LOCATION		INSTALLED C/W	03/03/2009	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	CHANGE	
<b>EMER LT PWR SUPPLY</b>	<b>Component</b>	60-1321-1	1644	Date		03/31/2009
LOCATION		INSTALLED C/W	03/26/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	12 MO CAP CK	
<b>ENG 150 HR</b>	<b>Inspection</b>			Hours	4,168.20	
LOCATION #1 & #2		INSTALLED C/W	4,018.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	150	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>ENG 300 HR</b>	<b>Inspection</b>			Hours	4,394.40	
LOCATION #1 & #2		INSTALLED C/W	4,094.4	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>ENG 300 HR / 12 MONTH</b>	<b>Inspection</b>			Hours	4,256.50	03/31/2009
LOCATION #1 & #2		INSTALLED C/W	3,956.5	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	COMP INLET INSP	
<b>ENG 600 HR / 12 MONTH</b>	<b>Inspection</b>			Hours	4,556.50	03/31/2009
LOCATION #1 & #2		INSTALLED C/W	3,956.5	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	600	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	CLEAN ELECTRICAL CONNECTORS	
<b>ENG 900 HR / 12 MONTH</b>	<b>Inspection</b>			Hours	4,856.50	03/31/2009
LOCATION #1 & #2		INSTALLED C/W	3,956.5	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	900	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	SEALING FLANGES & JOINTS	

N56RD

05/08/2009

Sikorsky

S-76B STARTS

Hour meter: **4167.20**



S/N: 760368 CYCLES: 6,206  
 TT: 4,167.20 RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>ENG FIRE BOTTLE, #1</b>	<b>Component</b>	472258	81093EK	Date		04/08/2013
LOCATION		INSTALLED C/W	04/08/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	Hydro'ed 04/08/2008 by Safetech WO# AH45197	
<b>ENG FIRE BOTTLE, #1 12 MO WT CK</b>	<b>Component</b>	472258	81093EK	Date		04/08/2009
LOCATION		INSTALLED C/W	04/08/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOG BOOK LS # 539553	
<b>ENG FIRE BOTTLE, #2</b>	<b>Component</b>	472258	81076EK	Date		04/08/2013
LOCATION		INSTALLED C/W	04/08/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	Hydro'ed by Safetech 04/08/2008 WO# AH45196	
<b>ENG FIRE BOTTLE, #2 12 MO WT CK</b>	<b>Component</b>	472258	81076EK	Date		04/08/2009
LOCATION		INSTALLED C/W	04/08/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOGBOOK LS # 539553	
<b>ENG FIRE EXT, CORROSION</b>	<b>Inspection</b>			Date		12/31/2010
LOCATION		INSTALLED C/W	12/31/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	LOGBOOK LS # 539553	
<b>ENG MNT FWD X-BEAM</b>	<b>Component</b>	76070-20526-050	A253-00067	Hours	26,400.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	26,400	
		SINCE OHL		REMAINING	22,232.80	
		OVERHAULED	No	REMARKS	RETIRE	
<b>EXPLOSIVE LINK, L/H MAIN</b>	<b>Component</b>		7329	Date		12/31/2009
LOCATION		INSTALLED C/W	12/31/1999	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	

N56RD

05/08/2009

Sikorsky  
S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368  
TT: 4,167.20

CYCLES: 6,206  
RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>EXPLOSIVE LINK, R/H MAIN</b>	<b>Component</b>		7268	Date		02/28/2010
LOCATION		INSTALLED C/W	02/28/2000	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	
<b>FIRE EXT 30 DAY</b>	<b>Inspection</b>			Date		06/01/2009
LOCATION		INSTALLED C/W	05/01/2009	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>FIRST AID KIT</b>	<b>Component</b>	SL1013-107	238104	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	12 MO W.O.# MH12832	
<b>FLOAT BOTTLE, L/H MAIN</b>	<b>Component</b>	76251-01103-102	3439	Date		08/31/2009
LOCATION		INSTALLED C/W	05/30/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	
<b>FLOAT BOTTLE, L/H NOSE</b>	<b>Component</b>	76251-01103-102	3491	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/1999	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	
<b>FLOAT BOTTLE, R/H MAIN</b>	<b>Component</b>	76251-01103-102	3489	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/1999	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE	
<b>FLOAT BOTTLE, R/H NOSE</b>	<b>Component</b>	76251-01103-102	3459	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/1999	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR	

N56RD

05/08/2009

Sikorsky

S-76B STARTS



Hour meter: **4167.20**

S/N: 760368 CYCLES: 6,206  
 TT: 4,167.20 RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>FLOAT INSPECTION</b>	<b>Inspection</b>			Date		06/30/2009
LOCATION		INSTALLED C/W	06/02/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	12 MONTH	
<b>FORK NOSE</b>	<b>Component</b>	2070-60	CPT-0554JK	RIN	144,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	144,000	
		SINCE OHL		REMAINING	136,689.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>GEAR ACTUATOR L/H</b>	<b>Component</b>	1945G200-001	CPT-1223JK	Date		12/31/2020
LOCATION		INSTALLED C/W	09/15/1991	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>GEAR ACTUATOR R/H</b>	<b>Component</b>	1945G200-002	CPT-0796JK	Date		12/31/2020
LOCATION		INSTALLED C/W	12/31/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>GEAR ACTUATOR, NOSE</b>	<b>Component</b>	2070A200	CPT-0526ADE	Date		12/31/2020
LOCATION		INSTALLED C/W	12/31/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>INTERMEDIATE G/BOX</b>	<b>Component</b>	76357-05600-041	A242-00074	Hours	4,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	4,500	
		SINCE OHL	4167.20	REMAINING	332.80	
		OVERHAULED	Yes	REMARKS	O/H	
<b>JET PWR SUPPLY</b>	<b>Component</b>	501-1228-04	4518	Date		03/31/2009
LOCATION		INSTALLED C/W	03/26/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	12 MO CAP CK	

N56RD

05/08/2009

Sikorsky  
S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368  
TT: 4,167.20

CYCLES: 6,206  
RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>KAHR BEARING, BLACK</b>	<b>Component</b>	SB-5206-202	B199-14124	Hours	4,239.80	
LOCATION		INSTALLED C/W	2,989.8	ACCUM USAGE	1177.40	
ORIGIN Airframe		SINCE NEW	1177.40	LIFE / INTERVAL	1,250	
		SINCE OHL		REMAINING	72.60	
		OVERHAULED	No	REMARKS	RETIRE	
<b>KAHR BEARING, BLUE</b>	<b>Component</b>	SB-5206-202	B199-14061	Hours	4,239.80	
LOCATION		INSTALLED C/W	2,989.8	ACCUM USAGE	1177.40	
ORIGIN Airframe		SINCE NEW	1177.40	LIFE / INTERVAL	1,250	
		SINCE OHL		REMAINING	72.60	
		OVERHAULED	No	REMARKS	RETIRE	
<b>KAHR BEARING, RED</b>	<b>Component</b>	SB-5206-202	B199-14163	Hours	4,239.80	
LOCATION		INSTALLED C/W	2,989.8	ACCUM USAGE	1177.40	
ORIGIN Airframe		SINCE NEW	1177.40	LIFE / INTERVAL	1,250	
		SINCE OHL		REMAINING	72.60	
		OVERHAULED	No	REMARKS	RETIRE	
<b>KAHR BEARING, YELLOW</b>	<b>Component</b>	SB-5206-202	B199-14124	Hours	4,239.80	
LOCATION		INSTALLED C/W	2,989.8	ACCUM USAGE	1177.40	
ORIGIN Airframe		SINCE NEW	1177.40	LIFE / INTERVAL	1,250	
		SINCE OHL		REMAINING	72.60	
		OVERHAULED	No	REMARKS	RETIRE	
<b>LIFE JACKETS HOOVER</b>	<b>Inspection</b>	FV-35F		Date		08/31/2010
LOCATION		INSTALLED C/W	08/19/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	7 EA INSP EVERY 2 YEARS	
<b>LIFE RAFT</b>	<b>Inspection</b>	R0070-107	53926379	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	12 MO WO# MH12831	
<b>LIFE RAFT</b>	<b>Inspection</b>	R0070-105	55165480	Date		05/31/2009
LOCATION		INSTALLED C/W	05/31/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	12 MO WO# MH12830	

N56RD

05/08/2009

Sikorsky

S-76B

STARTS

Hour meter: **4167.20**



S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>LOWER DRAG BRACE L/H</b>	<b>Component</b>	2071-74	CPT-1103HSM	RIN	20,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	20,700	
		SINCE OHL		REMAINING	13,389.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>LOWER DRAG BRACE R/H</b>	<b>Component</b>	2071-74	CPT-0608HSM	RIN	207,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	207,000	
		SINCE OHL		REMAINING	199,689.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>LOWER TORQUE ARM L/H</b>	<b>Component</b>	2071-47	CPT-0134SN	RIN	53,676.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	53,676	
		SINCE OHL		REMAINING	46,365.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>LOWER TORQUE ARM R/H</b>	<b>Component</b>	2071-47	CPT-0138SN	RIN	53,676.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	53,676	
		SINCE OHL		REMAINING	46,365.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>LWR BIFILAR ARM</b>	<b>Component</b>	76107-08001-045	A173-00382	Hours	29,400.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	29,400	
		SINCE OHL		REMAINING	25,232.80	
		OVERHAULED	No	REMARKS	RETIRE	
<b>M/R BLADE, BLACK</b>	<b>Component</b>	76150-09100-052A	A086-01808	Hours	28,008.50	
LOCATION		INSTALLED C/W	3,268.3	ACCUM USAGE	4158.70	
ORIGIN Airframe		SINCE NEW	3672.70	LIFE / INTERVAL	28,000	
		SINCE OHL		REMAINING	23,841.30	
		OVERHAULED	No	REMARKS	RETIRE	
<b>M/R BLADE, BLUE</b>	<b>Component</b>	76150-09100-052A	A086-01810	Hours	28,008.50	
LOCATION		INSTALLED C/W	2,603.3	ACCUM USAGE	4158.70	
ORIGIN Airframe		SINCE NEW	3007.70	LIFE / INTERVAL	28,000	
		SINCE OHL		REMAINING	23,841.30	
		OVERHAULED	No	REMARKS	RETIRE	

**N56RD**

05/08/2009

**Sikorsky**

**S-76B**

**STARTS**



Hour meter: **4167.20**

S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>M/R BLADE, RED</b>	<b>Component</b>	76150-09100-052A	A086-01809	Hours	28,008.50	
LOCATION		INSTALLED C/W 2,603.3		ACCUM USAGE 4158.70		
ORIGIN Airframe		SINCE NEW 3007.70		LIFE / INTERVAL 28,000		
		SINCE OHL		REMAINING 23,841.30		
		OVERHAULED No		REMARKS RETIRE		
<b>M/R BLADE, YELLOW</b>	<b>Component</b>	76150-09100-053	A086-01811	Hours	28,008.50	
LOCATION		INSTALLED C/W 2,603.3		ACCUM USAGE 4158.70		
ORIGIN Airframe		SINCE NEW 3007.70		LIFE / INTERVAL 28,000		
		SINCE OHL		REMAINING 23,841.30		
		OVERHAULED No		REMARKS RETIRE		
<b>M/R BLADES 500 HR INSP</b>	<b>Inspection</b>		ALL 4	Hours	4,386.50	
LOCATION		INSTALLED C/W 3,886.5		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 500		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS		
<b>M/R BLADES 900 HR INSP</b>	<b>Inspection</b>		ALL 4	Hours	4,786.50	
LOCATION		INSTALLED C/W 3,886.5		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 900		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS		
<b>M/R HUB 3000 HR / 3 YEAR INSPECTION</b>	<b>Inspection</b>	76103-08010-050	B027-00395	Hours	7,136.20	02/28/2012
LOCATION		INSTALLED C/W 4,136.2		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 3,000		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS		
<b>M/R HUB ASSY</b>	<b>Component</b>	76103-08010-050	B027-00395	Hours	22,000.60	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4166.60		
ORIGIN Airframe		SINCE NEW 4166.60		LIFE / INTERVAL 22,000		
		SINCE OHL		REMAINING 17,833.40		
		OVERHAULED No		REMARKS RETIRE		
<b>M/R SPINDLES 1250 HR INSP</b>	<b>Inspection</b>			Hours	4,772.50	
LOCATION		INSTALLED C/W 3,522.5		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 1,250		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS ALL 4 DUE		

N56RD

05/08/2009

Sikorsky

S-76B STARTS



Hour meter: **4167.20**

S/N: 760368 CYCLES: 6,206  
 TT: 4,167.20 RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>MAIN BATTERY L/H SP-900</b>	<b>Component</b>	30248-001	10403095	Date		07/31/2009
LOCATION		INSTALLED C/W	04/07/2009	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	3 MONTH SERVICE	
<b>MAIN GEAR BLOW DOWN BOTTLE</b>	<b>Component</b>	76650-01801-103	774	Date		08/31/2011
LOCATION		INSTALLED C/W	08/20/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	HYDRO, 3 YEAR	
<b>MAIN GEAR BLOW DOWN BOTTLE</b>	<b>Component</b>	76650-01801-103	774	Date		10/31/2010
LOCATION		INSTALLED C/W	10/13/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 15 YEAR FROM MFG 4Q95	
<b>MAIN LANDING GEAR R/H</b>	<b>Component</b>	76250-02500-102	T-4660	Date		12/31/2020
LOCATION		INSTALLED C/W	12/31/1990	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	O/C	
<b>MAIN ROTOR SHAFT 3 MO / 300 HR INSP</b>	<b>Inspection</b>			Hours	4,436.20	06/31/2009
LOCATION		INSTALLED C/W	4,136.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	300	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>MAIN SERVO, AFT</b>	<b>Component</b>	76650-09807-101	B244-00016	Hours	<del>105,200.00</del>	
LOCATION		INSTALLED C/W	3,268.3	ACCUM USAGE	8260.20	
ORIGIN Airframe		SINCE NEW	8260.20	LIFE / INTERVAL	100,000	
		SINCE OHL		REMAINING	91,739.80	
		OVERHAULED	No	REMARKS	ON CONDITION, HAMILTON STANDARD	
<b>MAIN SERVO, FWD</b>	<b>Component</b>	76650-09807-101	B244-00159	Hours	97,119.90	
LOCATION		INSTALLED C/W	3,268.3	ACCUM USAGE	7047.30	
ORIGIN Airframe		SINCE NEW	7047.30	LIFE / INTERVAL	100,000	
		SINCE OHL	3615.20	REMAINING	92,952.70	
		OVERHAULED	Yes	REMARKS	ON CONDITION, HAMILTON STANDARD	

N56RD

05/08/2009

Sikorsky

S-76B STARTS



Hour meter: **4167.20**

S/N: 760368 CYCLES: 6,206  
TT: 4,167.20 RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>MAIN SERVO, LATERAL</b>	<b>Component</b>	76650-09807-101	B244-00051	Hours	108,903.20	
LOCATION		INSTALLED C/W 3,268.3		ACCUM USAGE 5284.00		
ORIGIN Airframe		SINCE NEW 5284.00		LIFE / INTERVAL 100,000		
		SINCE OHL		REMAINING 94,716.00		
		OVERHAULED No		REMARKS ON CONDITION, HAMILTON STANDARD		
<b>NOSE LANDING GEAR ASSY</b>	<b>Component</b>	76250-01000-111	T-4641	Date		12/31/2020
LOCATION		INSTALLED C/W 12/31/1990		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS O/C		
<b>OUTER CYLINDER L/H</b>	<b>Component</b>	1945F302	CPT-1759JK	RIN	31,950.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7311.00		
ORIGIN Airframe		SINCE NEW 7311.00		LIFE / INTERVAL 31,950		
		SINCE OHL		REMAINING 24,639.00		
		OVERHAULED No		REMARKS RETIRE		
<b>OUTER CYLINDER R/H</b>	<b>Component</b>	1945F302	CPC-1296JK	RIN	36,600.00	
LOCATION		INSTALLED C/W 658		ACCUM USAGE 2661.00		
ORIGIN Airframe		SINCE NEW 2661.00		LIFE / INTERVAL 31,950		
		SINCE OHL		REMAINING 29,289.00		
		OVERHAULED No		REMARKS RETIRE		
<b>P/ROD, ROD END L/H</b>	<b>Component</b>	2071-235	CPT-0017X	RIN	31,117.00	
LOCATION		INSTALLED C/W 3,358		ACCUM USAGE 37394.00		
ORIGIN Airframe		SINCE NEW 37394.00		LIFE / INTERVAL 61,200		
		SINCE OHL		REMAINING 23,806.00		
		OVERHAULED No		REMARKS RETIRE		
<b>P/ROD, ROD END R/H</b>	<b>Component</b>	2071-35	CPT-BIC-0843	RIN	65,876.00	
LOCATION		INSTALLED C/W 4,676		ACCUM USAGE 2635.00		
ORIGIN Airframe		SINCE NEW 2635.00		LIFE / INTERVAL 61,200		
		SINCE OHL		REMAINING 58,565.00		
		OVERHAULED No		REMARKS RETIRE		
<b>PIN, PR TO U ARM</b>	<b>Component</b>	2071-32	CPT-0172BI	RIN	112,500.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7311.00		
ORIGIN Airframe		SINCE NEW 7311.00		LIFE / INTERVAL 112,500		
		SINCE OHL		REMAINING 105,189.00		
		OVERHAULED No		REMARKS RETIRE		

N56RD

05/08/2009

Sikorsky

S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>PIN, PR TO U ARM R/H</b>	<b>Component</b>	2071-32	CPT-0199BI	RIN	112,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	112,500	
		SINCE OHL		REMAINING	105,189.00	
		OVERHAULED	No	REMARKS		
<b>PIN, UNIVERSAL TO CYL L/H</b>	<b>Component</b>	1945C29	CPT-0117BI	RIN	72,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	72,000	
		SINCE OHL		REMAINING	64,689.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PIN, UNIVERSAL TO CYLINDER R/H</b>	<b>Component</b>	2071-29	CPT-0196BI	RIN	72,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	72,000	
		SINCE OHL		REMAINING	64,689.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON L/H</b>	<b>Component</b>	1945E314	CPT-0134JK	RIN	148,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	148,500	
		SINCE OHL		REMAINING	141,189.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON R/H</b>	<b>Component</b>	1945E314	SO-880	RIN	153,150.00	
LOCATION		INSTALLED C/W	658	ACCUM USAGE	2661.00	
ORIGIN Airframe		SINCE NEW	2661.00	LIFE / INTERVAL	148,500	
		SINCE OHL		REMAINING	145,839.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON R/H</b>	<b>Component</b>	2071-4	CPT-0455JO	RIN	128,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	128,700	
		SINCE OHL		REMAINING	121,389.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON ROD END L/H</b>	<b>Component</b>	01-747-061	T-663	RIN	36,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	36,000	
		SINCE OHL		REMAINING	28,689.00	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

05/08/2009

Sikorsky

S-76B

STARTS

Hour meter: **4167.20**



S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>PISTON ROD END R/H</b>	<b>Component</b>	01-747-061	0058BI	RIN	40,650.00	
LOCATION		INSTALLED C/W	658	ACCUM USAGE	2661.00	
ORIGIN Airframe		SINCE NEW	2661.00	LIFE / INTERVAL	36,000	
		SINCE OHL		REMAINING	33,339.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON ROD NOSE</b>	<b>Component</b>	1944E204	CPT-0039ADE	RIN	99,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	99,000	
		SINCE OHL		REMAINING	91,689.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PISTON, NOSE</b>	<b>Component</b>	2070-4	CPT-0131AT	RIN	161,451.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	161,451	
		SINCE OHL		REMAINING	154,140.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PITCH HORN, BLACK</b>	<b>Component</b>	76102-08011-046	B050-001781	Hours	21,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	21,700	
		SINCE OHL		REMAINING	17,532.80	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PITCH HORN, BLUE</b>	<b>Component</b>	76102-08011-046	B050-01873	Hours	21,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	21,700	
		SINCE OHL		REMAINING	17,532.80	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PITCH HORN, RED</b>	<b>Component</b>	76102-08011-046	B050-01842	Hours	21,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	21,700	
		SINCE OHL		REMAINING	17,532.80	
		OVERHAULED	No	REMARKS	RETIRE	
<b>PITCH HORN, YELLOW</b>	<b>Component</b>	76102-08011-046	B050-01860	Hours	21,700.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	21,700	
		SINCE OHL		REMAINING	17,532.80	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

05/08/2009

Sikorsky

S-76B STARTS



Hour meter: 4167.20

S/N: 760368 CYCLES: 6,206  
TT: 4,167.20 RIN: 7,311

DETAIL REPORT

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>PITOT STATIC SYSTEM LEAK CHECK</b>	<b>Inspection</b>			Date		09/30/2010
LOCATION		INSTALLED C/W	09/06/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	INSPECTION 2 YEAR	
<b>RETRACTION BRACE L/H</b>	<b>Component</b>	2071-76-12	CPT-0615JK	RIN	184,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	184,500	
		SINCE OHL		REMAINING	177,189.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>RETRACTION BRACE R/H</b>	<b>Component</b>	2071-76-12	CPT-0669JK	RIN	184,500.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	7311.00	
ORIGIN Airframe		SINCE NEW	7311.00	LIFE / INTERVAL	184,500	
		SINCE OHL		REMAINING	177,189.00	
		OVERHAULED	No	REMARKS	RETIRE	
<b>SIGNAL KIT</b>	<b>Inspection</b>		160469-2	Date		01/31/2010
LOCATION		INSTALLED C/W	01/22/2009	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>SPINDLE NUT, BLACK</b>	<b>Component</b>	76102-08003-103	C186-00085	Hours	5,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	5,000	
		SINCE OHL		REMAINING	832.80	
		OVERHAULED	No	REMARKS	RETIRE	
<b>SPINDLE NUT, BLUE</b>	<b>Component</b>	76102-08003-103	C186-00026	Hours	5,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	5,000	
		SINCE OHL		REMAINING	832.80	
		OVERHAULED	No	REMARKS	RETIRE	
<b>SPINDLE NUT, RED</b>	<b>Component</b>	76102-08003-103	C186-000172	Hours	5,000.00	
LOCATION		INSTALLED C/W	0	ACCUM USAGE	4167.20	
ORIGIN Airframe		SINCE NEW	4167.20	LIFE / INTERVAL	5,000	
		SINCE OHL		REMAINING	832.80	
		OVERHAULED	No	REMARKS	RETIRE	

N56RD

05/08/2009

Sikorsky

S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>SPINDLE NUT, YELLOW</b>	<b>Component</b>	76102-08003-103	C186-00079	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 832.80		
		OVERHAULED No		REMARKS RETIRE		
<b>SPINDLE, BLACK</b>	<b>Component</b>	76102-08001-045	A134-01762	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 832.80		
		OVERHAULED No		REMARKS RETIRE		
<b>SPINDLE, BLUE</b>	<b>Component</b>	76102-08001-045	A134-01827	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 832.80		
		OVERHAULED No		REMARKS RETIRE		
<b>SPINDLE, RED</b>	<b>Component</b>	76102-08001-045	A134-01678	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 832.80		
		OVERHAULED No		REMARKS RETIRE		
<b>SPINDLE, YELLOW</b>	<b>Component</b>	76102-08001-045	A134-01586	Hours	5,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 5,000		
		SINCE OHL		REMAINING 832.80		
		OVERHAULED No		REMARKS RETIRE		
<b>SQUIB MAIN, FIRE BOTTLE #1</b>	<b>Component</b>	897776-01J	24673	Date		03/31/2017
LOCATION		INSTALLED C/W 08/27/2007		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS RETIRE, 10 YEAR MFG 3-07		
<b>SQUIB MAIN, FIRE BOTTLE #2</b>	<b>Component</b>	897776-01J	24763	Date		03/31/2017
LOCATION		INSTALLED C/W 08/27/2007		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS RETIRE, 10 YEAR MFG 3-07		

N56RD

05/08/2009

Sikorsky  
S-76B

STARTS

Hour meter: **4167.20**



S/N: 760368  
TT: 4,167.20

CYCLES: 6,206  
RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>SQUIB R/H NOSE</b>	<b>Component</b>	2978-0013-3	645	Date		05/31/2012
LOCATION		INSTALLED C/W	09/06/2008	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 5 YEAR	
<b>SQUIB RESERVE, FIRE BOTTLE #1</b>	<b>Component</b>	897776-01J	24766	Date		03/31/2017
LOCATION		INSTALLED C/W	08/27/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR MFG 3-07	
<b>SQUIB RESERVE, FIRE BOTTLE #2</b>	<b>Component</b>	897776-01J	24746	Date		03/31/2017
LOCATION		INSTALLED C/W	08/27/2007	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 10 YEAR MFG 3-07	
<b>SQUIB, L/H MAIN</b>	<b>Component</b>	2978-0013-3	3543	Date		03/31/2011
LOCATION		INSTALLED C/W	07/07/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 5 YEAR	
<b>SQUIB, L/H NOSE</b>	<b>Component</b>	2978-0013-3	3816	Date		03/31/2011
LOCATION		INSTALLED C/W	07/07/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 5 YEAR	
<b>SQUIB, R/H MAIN</b>	<b>Component</b>	2978-0013-3	3806	Date		03/31/2011
LOCATION		INSTALLED C/W	07/07/2006	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS	RETIRE, 5 YEAR	
<b>ST/GEN #1</b>	<b>Component</b>	23092-002	105	Hours	4,754.30	
LOCATION #1 ENG		INSTALLED C/W	4,055.7	ACCUM USAGE	412.90	
ORIGIN Airframe		SINCE NEW	111.50	LIFE / INTERVAL	1,000	
		SINCE OHL	111.50	REMAINING	587.10	
		OVERHAULED	Yes	REMARKS	O/H	

N56RD

05/08/2009

Sikorsky

S-76B

STARTS

Hour meter: **4167.20**



S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>ST/GEN #1</b>	<b>Inspection</b>	23092-002	105	Hours	4,355.70	
LOCATION #1 ENG		INSTALLED C/W 4,055.7		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 300		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS BRUSH INSP 300 HR		
<b>ST/GEN #2</b>	<b>Inspection</b>	76650-00911-101	143	Hours		
LOCATION #2 ENG		INSTALLED C/W 4,094.4		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 300.0		
		SINCE OHL		REMAINING		
		OVERHAULED Yes		REMARKS BRUSH INSP VERIFY POSITION ON AIRCRAFT		
<b>ST/GEN #2</b>	<b>Component</b>	76650-00911-101	143	Hours	4,808.40	
LOCATION #2 ENG		INSTALLED C/W 4,094.4		ACCUM USAGE 358.80		
ORIGIN Airframe		SINCE NEW 69.70		LIFE / INTERVAL 1,000		
		SINCE OHL 69.70		REMAINING 641.20		
		OVERHAULED Yes		REMARKS O/H		
<b>STAB RETAINING FITTING</b>	<b>Component</b>	76209-04004-042	BE-002	Hours	14,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 14,000		
		SINCE OHL		REMAINING 9,832.80		
		OVERHAULED No		REMARKS RETIRE		
<b>STAB SUPPORT FITTING</b>	<b>Component</b>	76209-04004-045	BE-001	Hours	14,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 14,000		
		SINCE OHL		REMAINING 9,832.80		
		OVERHAULED No		REMARKS RETIRE		
<b>STABILIZER ASSY</b>	<b>Component</b>	76080-20063-051	A253-00080	Hours	37,700.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 37,700		
		SINCE OHL		REMAINING 33,532.80		
		OVERHAULED No		REMARKS RETIRE		
<b>SWASHPLATE</b>	<b>Inspection</b>	76104-08500-041	A238-00071	Hours		02/28/2012
LOCATION		INSTALLED C/W 4,136.2		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 3,000		
		SINCE OHL		REMAINING		
		OVERHAULED Yes		REMARKS INSPECT		

N56RD

05/08/2009

Sikorsky

S-76B STARTS



Hour meter: **4167.20**

S/N: 760368 CYCLES: 6,206  
TT: 4,167.20 RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>SWASHPLATE GUIDE</b>	<b>Component</b>	70351-09029-101	A028-00708	Hours	20,019.10	
LOCATION		INSTALLED C/W	3,672.8	ACCUM USAGE	4148.10	
ORIGIN Airframe		SINCE NEW	4148.10	LIFE / INTERVAL	20,000	
		SINCE OHL		REMAINING	15,851.90	
		OVERHAULED	No	REMARKS	RETIRE	
<b>T/R CABLES</b>	<b>Component</b>			Hours	5,109.70	07/31/2009
LOCATION		INSTALLED C/W	3609.70	ACCUM USAGE	557.50	
ORIGIN Airframe		SINCE NEW	557.50	LIFE / INTERVAL	1,500	
		SINCE OHL		REMAINING	942.50	
		OVERHAULED	No	REMARKS		
<b>T/R D/S BRNG #1</b>	<b>Component</b>	SB1138-102	B626-64457	Hours	6,078.80	09/30/2013
LOCATION		INSTALLED C/W	4,026.8	ACCUM USAGE	1088.40	
ORIGIN Airframe		SINCE NEW	140.40	LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING	1,911.60	
		OVERHAULED	No	REMARKS	RETIRE	
<b>T/R D/S BRNG #2</b>	<b>Component</b>	SB1138-102	B626-64458	Hours	6,078.80	09/30/2013
LOCATION		INSTALLED C/W	4,026.8	ACCUM USAGE	1088.40	
ORIGIN Airframe		SINCE NEW	140.40	LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING	1,911.60	
		OVERHAULED	No	REMARKS	RETIRE	
<b>T/R D/S BRNG #3</b>	<b>Component</b>	SB1138-102	B626-58461	Hours	6,078.80	09/30/2013
LOCATION		INSTALLED C/W	4,026.8	ACCUM USAGE	1088.40	
ORIGIN Airframe		SINCE NEW	140.40	LIFE / INTERVAL	3,000	
		SINCE OHL		REMAINING	1,911.60	
		OVERHAULED	No	REMARKS	RETIRE	
<b>T/R D/S BRNG SUPPORT #1</b>	<b>Component</b>	76361-04007-042	SD-0375	Hours	6,078.80	09/30/2013
LOCATION		INSTALLED C/W	4,026.8	ACCUM USAGE	1088.40	
ORIGIN Airframe		SINCE NEW	140.40	LIFE / INTERVAL	3,000	
		SINCE OHL	140.40	REMAINING	1,911.60	
		OVERHAULED	Yes	REMARKS	O/H	
<b>T/R D/S BRNG SUPPORT #2</b>	<b>Component</b>	76361-04007-042	A348-KHS-00105	Hours	6,078.80	09/30/2013
LOCATION		INSTALLED C/W	4,026.8	ACCUM USAGE	1088.40	
ORIGIN Airframe		SINCE NEW	2907.00	LIFE / INTERVAL	3,000	
		SINCE OHL	140.40	REMAINING	1,911.60	
		OVERHAULED	Yes	REMARKS	O/H	

N56RD

05/08/2009

Sikorsky

S-76B

STARTS

Hour meter: **4167.20**



S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>T/R D/S BRNG SUPPORT #3</b>	<b>Component</b>	76361-04007-042	C348-00082	Hours	6,078.80	09/30/2013
LOCATION		INSTALLED C/W 4,026.8		ACCUM USAGE 1088.40		
ORIGIN Airframe		SINCE NEW 3136.10		LIFE / INTERVAL 3,000		
		SINCE OHL 140.40		REMAINING 1,911.60		
		OVERHAULED Yes		REMARKS O/H		
<b>T/R PEDAL 2 YEAR INSP</b>	<b>Inspection</b>			Date		03/31/2009
LOCATION		INSTALLED C/W 03/31/2007		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS TR 5-141		
<b>TAIL BOOM ASSY</b>	<b>Component</b>	76000-04000-041	A172-00368	Hours	100,000.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 100,000		
		SINCE OHL		REMAINING 95,832.80		
		OVERHAULED No		REMARKS O/C MOD TO 76070-20530-041		
<b>TAIL BOOM ATTACH BOLTS STA 300</b>	<b>Component</b>			Hours	6,288.20	02/28/2010
LOCATION		INSTALLED C/W 3,288.2		ACCUM USAGE 879.00		
ORIGIN Airframe		SINCE NEW 879.00		LIFE / INTERVAL 3,000		
		SINCE OHL		REMAINING 2,121.00		
		OVERHAULED No		REMARKS REPLACE 3000 HR / 5 YEAR		
<b>TAIL ROTOR BALANCE / 100 HOUR</b>	<b>Inspection</b>			Hours	4,236.20	
LOCATION		INSTALLED C/W 4,136.2		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL 100		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS LOG BOOK LS # 539553		
<b>TAIL ROTOR G/BOX</b>	<b>Component</b>	76358-05600-042	A239-00087	Hours	7,990.90	
LOCATION		INSTALLED C/W 3,980.4		ACCUM USAGE 176.30		
ORIGIN Airframe		SINCE NEW 6660.00		LIFE / INTERVAL 4,000		
		SINCE OHL 176.30		REMAINING 3,823.70		
		OVERHAULED Yes		REMARKS O/H		
<b>TAIL ROTOR G/BOX OUTPUT FLANGE</b>	<b>Component</b>	76358-05118-047	A070-00466	Hours	9,100.00	
LOCATION		INSTALLED C/W 3,980.4		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 186.80		LIFE / INTERVAL 9,100		
		SINCE OHL		REMAINING 4,932.80		
		OVERHAULED No		REMARKS RETIRE		

N56RD

05/08/2009

Sikorsky

S-76B

STARTS

Hour meter: **4167.20**



S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>TAIL ROTOR G/BOX OUTPUT SHAFT</b>	<b>Component</b>	76358-05124-042	A069-00768	Hours	9,100.00	
LOCATION		INSTALLED C/W 3,980.4		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 186.80		LIFE / INTERVAL 9,100		
		SINCE OHL		REMAINING 4,932.80		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PADDLE</b>	<b>Component</b>	76101-05501-042	A245-00498	Hours	22,323.30	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 1843.90		
ORIGIN Airframe		SINCE NEW 1843.90		LIFE / INTERVAL 20,000		
		SINCE OHL		REMAINING 18,156.10		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PADDLE</b>	<b>Component</b>	76101-05501-042	A245-00147	Hours	20,044.40	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 4122.80		
ORIGIN Airframe		SINCE NEW 4122.80		LIFE / INTERVAL 20,000		
		SINCE OHL		REMAINING 15,877.20		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PITCH HORN</b>	<b>Component</b>	76101-05006-042	A334-02446A	Hours	12,044.40	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 4122.80		
ORIGIN Airframe		SINCE NEW 4122.80		LIFE / INTERVAL 12,000		
		SINCE OHL		REMAINING 7,877.20		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PITCH HORN</b>	<b>Component</b>	76101-05006-042	A334-03464A	Hours	14,323.30	
LOCATION		INSTALLED C/W 3,634		ACCUM USAGE 1843.90		
ORIGIN Airframe		SINCE NEW 1843.90		LIFE / INTERVAL 12,000		
		SINCE OHL		REMAINING 10,156.10		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PITCH HORN</b>	<b>Component</b>	76101-05006-042	A334-02447B	Hours	12,044.40	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 4122.80		
ORIGIN Airframe		SINCE NEW 4122.80		LIFE / INTERVAL 12,000		
		SINCE OHL		REMAINING 7,877.20		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR PITCH HORN</b>	<b>Component</b>	76101-05006-042	A334-03465B	Hours	14,323.30	
LOCATION		INSTALLED C/W 3,435		ACCUM USAGE 1843.90		
ORIGIN Airframe		SINCE NEW 1843.90		LIFE / INTERVAL 12,000		
		SINCE OHL		REMAINING 10,156.10		
		OVERHAULED No		REMARKS RETIRE		

N56RD

05/08/2009

Sikorsky  
S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368  
TT: 4,167.20

CYCLES: 6,206  
RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>TAIL ROTOR RETAINING PLATE</b>	<b>Component</b>	76102-05001-047	A131-00345	Hours	9,100.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 9,100		
		SINCE OHL		REMAINING 4,932.80		
		OVERHAULED No		REMARKS RETIRE		
<b>TAIL ROTOR SERVO</b>	<b>Component</b>	76650-05803-102	B243-00060	Hours	100,380.20	
LOCATION		INSTALLED C/W 3,268.3		ACCUM USAGE 3787.00		
ORIGIN Airframe		SINCE NEW 3787.00		LIFE / INTERVAL 100,000		
		SINCE OHL		REMAINING 96,213.00		
		OVERHAULED No		REMARKS ON CONDITION		
<b>TAIL ROTOR SPAR</b>	<b>Component</b>	76101-05017-045	A293-02468	Hours	102,323.30	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 1843.90		
ORIGIN Airframe		SINCE NEW 1843.90		LIFE / INTERVAL 100,000		
		SINCE OHL		REMAINING 98,156.10		
		OVERHAULED No		REMARKS O/C		
<b>TAIL ROTOR SPAR</b>	<b>Component</b>	76101-05017-045	A116-02004	Hours	100,044.40	
LOCATION		INSTALLED C/W 3,034		ACCUM USAGE 4122.80		
ORIGIN Airframe		SINCE NEW 4122.80		LIFE / INTERVAL 100,000		
		SINCE OHL		REMAINING 95,877.20		
		OVERHAULED No		REMARKS O/C		
<b>TRANSPONDER #1</b>	<b>Inspection</b>			Date		09/30/2010
LOCATION		INSTALLED C/W 09/06/2008		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS CERTIFY		
<b>TRANSPONDER #2</b>	<b>Inspection</b>			Date		09/30/2010
LOCATION		INSTALLED C/W 09/06/2008		ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL		
		SINCE OHL		REMAINING		
		OVERHAULED No		REMARKS CERTIFY		
<b>UPPER TORQUE ARM L/H</b>	<b>Component</b>	2071-46	CPT-1086AP	RIN	120,730.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7311.00		
ORIGIN Airframe		SINCE NEW 7311.00		LIFE / INTERVAL 120,730		
		SINCE OHL		REMAINING 113,419.00		
		OVERHAULED No		REMARKS RETIRE		

N56RD

05/08/2009

Sikorsky

S-76B

STARTS



Hour meter: 4167.20

S/N: 760368

CYCLES: 6,206

TT: 4,167.20

RIN: 7,311

DETAIL REPORT

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>UPPER TORQUE ARM R/H</b>	<b>Component</b>	2071-46	CPT-1059AP	RIN	120,730.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 7311.00		
ORIGIN Airframe		SINCE NEW 7311.00		LIFE / INTERVAL 120,730		
		SINCE OHL		REMAINING 113,419.00		
		OVERHAULED No		REMARKS RETIRE		
<b>XMSN ASSY</b>	<b>Component</b>	76351-09600-044	A231-00225	Hours	6,518.20	
LOCATION		INSTALLED C/W 3,672.8		ACCUM USAGE 899.00		
ORIGIN Airframe		SINCE NEW 4571.80		LIFE / INTERVAL 3,250		
		SINCE OHL 899.00		REMAINING 2,351.00		
		OVERHAULED Yes		REMARKS OVERHAUL		
<b>XMSN MAIN SHAFT</b>	<b>Component</b>	76351-09630-041	D213-00541	Hours	8,168.20	
LOCATION		INSTALLED C/W 3,672.8		ACCUM USAGE 899.00		
ORIGIN Airframe		SINCE NEW 899.00		LIFE / INTERVAL 4,900		
		SINCE OHL		REMAINING 4,001.00		
		OVERHAULED No		REMARKS RETIRE		
<b>XMSN QUILL SHAFT</b>	<b>Component</b>	76351-09628-101	A212-00325	Hours	8,595.40	
LOCATION		INSTALLED C/W 3,268.2		ACCUM USAGE 4571.80		
ORIGIN Airframe		SINCE NEW 4571.80		LIFE / INTERVAL 9,000		
		SINCE OHL 4571.80		REMAINING 4,428.20		
		OVERHAULED Yes		REMARKS RETIRE		
<b>XMSN SPLINE ADAPTER</b>	<b>Component</b>	76351-09626-103	A211-00241	Hours	36,595.40	
LOCATION		INSTALLED C/W 3,268.2		ACCUM USAGE 4571.80		
ORIGIN Airframe		SINCE NEW 4571.80		LIFE / INTERVAL 37,000		
		SINCE OHL		REMAINING 32,428.20		
		OVERHAULED No		REMARKS RETIRE		
<b>XMSN SUPPORT FITTING, L/H</b>	<b>Component</b>	76209-03001-051	F021-00013	Hours	23,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 23,400		
		SINCE OHL		REMAINING 19,232.80		
		OVERHAULED No		REMARKS RETIRE		
<b>XMSN SUPPORT FITTING, R/H</b>	<b>Component</b>	76209-03001-052	F021-00021	Hours	23,400.00	
LOCATION		INSTALLED C/W 0		ACCUM USAGE 4167.20		
ORIGIN Airframe		SINCE NEW 4167.20		LIFE / INTERVAL 23,400		
		SINCE OHL		REMAINING 19,232.80		
		OVERHAULED No		REMARKS RETIRE		

N56RD

05/08/2009

Sikorsky  
S-76B

STARTS



Hour meter: **4167.20**

S/N: 760368  
TT: 4,167.20

CYCLES: 6,206  
RIN: 7,311

**D E T A I L R E P O R T**

ITEM DESCRIPTION	TYPE	ASSY/PART No.	SERIAL NUMBER	TRACKED BY	NEXTDUE HRS/CYC	NEXT DUE DATE
<b>XMSN UPPER HOUSING</b>	<b>Component</b>	76351-09002-053	A001-00489	Hours	10,419.10	
LOCATION		INSTALLED C/W	3,672.8	ACCUM USAGE	4148.10	
ORIGIN Airframe		SINCE NEW	4148.10	LIFE / INTERVAL	10,400	
		SINCE OHL		REMAINING	6,251.90	
		OVERHAULED	No	REMARKS	RETIRE	
<b>ZONE 1</b>	<b>Inspection</b>			Hours	5,347.80	
LOCATION		INSTALLED C/W	3,847.8	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	1,500	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>ZONE 2</b>	<b>Inspection</b>			Hours	4,736.20	
LOCATION		INSTALLED C/W	4,136.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	600	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>ZONE 3</b>	<b>Inspection</b>			Hours	4,448.20	
LOCATION		INSTALLED C/W	3,548.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	900	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>ZONE 4</b>	<b>Inspection</b>			Hours	4,748.20	
LOCATION		INSTALLED C/W	3,548.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	1,200	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		
<b>ZONE 5</b>	<b>Inspection</b>			Hours	5,048.20	
LOCATION		INSTALLED C/W	3,548.2	ACCUM USAGE		
ORIGIN Airframe		SINCE NEW		LIFE / INTERVAL	1,500	
		SINCE OHL		REMAINING		
		OVERHAULED	No	REMARKS		